



Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 02/23/2016

Reviewed on 02/23/2016

1 Identification

- **Product Identifier**
- **Trade name:** *Electrum Premium Tattoo Stencil Primer*
- **Relevant identified uses of the substance or mixture and uses advised against:**
- **Product Description** Body / Skin Gel for transferring tattoo stencils
- **Details of the Supplier of the Safety Data Sheet:**
- **Manufacturer/Supplier:**
Electrum Supply
203 Hawthorne Drive
Goshen, IN 46526
Office: +1-574-304-3992
- **Emergency telephone number:** 574-304-3992

2 Hazard(s) Identification

- **Classification of the substance or mixture:**
Eye Irrit. 2B H320 Causes eye irritation.
- **Label elements:**
- **GHS label elements**
The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms:** Non-Regulated Material
- **Signal word:** Warning
- **Hazard statements:**
H320 Causes eye irritation.
- **Precautionary statements:**
P264 Wash thoroughly after handling.
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313 If eye irritation persists: Get medical advice/attention.
- **Unknown acute toxicity:**
3 % of the mixture consists of component(s) of unknown toxicity.
- **Classification system:**
- **NFPA ratings (scale 0 - 4)**



- **HMIS-ratings (scale 0 - 4)**

HEALTH	1	Health = 1
FIRE	1	Fire = 1
REACTIVITY	0	Reactivity = 0

- **Hazard(s) not otherwise classified (HNOC):** None known

3 Composition/Information on Ingredients

- **Chemical characterization:** *Mixtures*
- **Description:** Mixture: consisting of non-regulated material.

(Contd. on page 2)



Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 02/23/2016

Reviewed on 02/23/2016

Trade name: Electrum Premium Tattoo Stencil Primer

· Dangerous Components:		
CAS: 57-55-6 RTECS: TY 2000000	Propylene Glycol	25-50%
CAS: 56-81-5 RTECS: MA 8050000	Glycerol	≤ 2.5%
CAS: 9003-01-4	Carbomer ⚠ Skin Irrit. 2, H315; STOT SE 3, H335; Eye Irrit. 2B, H320	≤ 2.5%
CAS: 102-71-6	Triethanolamine, TEA ⚠ Skin Irrit. 2, H315; Eye Irrit. 2B, H320	≤ 2.5%

4 First-Aid Measures

· Description of first aid measures:

- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Generally the product does not irritate the skin.
- **After eye contact:**
Rinse opened eye for at least 15 minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:** If swallowed and symptoms occur, consult a doctor.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed:** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed:**
No further relevant information available.

5 Fire-Fighting Measures

- **Extinguishing media:**
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture:** No further relevant information available.
- **Advice for firefighters:**
- **Protective equipment:**
As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

6 Accidental Release Measures

- **Personal precautions, protective equipment and emergency procedures:** Not required.
- **Environmental precautions:**
Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (i.e. sand, diatomite, acid binders, universal binders, sawdust).
Ensure adequate ventilation.
Dispose of the collected material according to regulations.
- **Reference to other sections:**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and Storage

- **Handling**
- **Precautions for safe handling:**
Ensure good ventilation/exhaustion at the workplace.

(Contd. on page 3)



Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 02/23/2016

Reviewed on 02/23/2016

Trade name: Electrum Premium Tattoo Stencil Primer

- Prevent formation of aerosols.
- Information about protection against explosions and fires:** No special measures required.
- Conditions for safe storage, including any incompatibilities:**
- Storage**
- Requirements to be met by storerooms and receptacles:** No special requirements.
- Information about storage in one common storage facility:** Not required.
- Further information about storage conditions:** Keep receptacle tightly sealed.
- Specific end use(s):** No further relevant information available.

8 Exposure Controls/Personal Protection

- Additional information about design of technical systems:** No further data; see section 7.
- Control parameters:**

Components with occupational exposure limits:	
57-55-6 Propylene Glycol	
WEEL	Long-term value: 10 mg/m ³
56-81-5 Glycerol	
PEL	Long-term value: 15* 5** mg/m ³ mist; *total dust **respirable fraction
TLV	TLV withdrawn-insufficient data human occup. exp.
102-71-6 Triethanolamine, TEA	
TLV	Long-term value: 5 mg/m ³

- Additional information:** The lists that were valid during the creation of this SDS were used as basis.
- Exposure controls:**
- Personal protective equipment:**
- General protective and hygienic measures:**
The usual precautionary measures for handling chemicals should be followed.
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing and wash before reuse.
Wash hands before breaks and at the end of work.
Avoid contact with the eyes.
- Breathing equipment:** Not required.
- Protection of hands:** Not required.
- Material of gloves:** Not required.
- Penetration time of glove material:** Not applicable.
- Eye protection:**



Goggles recommended during refilling.

9 Physical and Chemical Properties

- Information on basic physical and chemical properties**
- General Information**
- Appearance:**
- Form:** Gel
- Color:** Light green
- Odor:** Mild

(Contd. on page 4)



Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 02/23/2016

Reviewed on 02/23/2016

Trade name: Electrum Premium Tattoo Stencil Primer

- **Odor threshold:** Not determined.
- **Change in condition**
 - Melting point/Melting range:** Not determined.
 - Boiling point/Boiling range:** 100 °C (212 °F)
- **Flash point:** 103 °C (217 °F)
- **Flammability (solid, gaseous):** Not applicable.
- **Ignition temperature:** 371 °C (700 °F)
- **Decomposition temperature:** Not determined.
- **Auto igniting:** Product is not self-igniting.
- **Danger of explosion:** Product does not present an explosion hazard.
- **Explosion limits:**
 - Lower:** 2.6 Vol %
 - Upper:** 12.6 Vol %
- **Vapor pressure @ 20 °C (68 °F):** 23 hPa (17 mm Hg)
- **Density:**
 - Relative density:** Not determined.
 - Vapor density:** Not determined.
 - Evaporation rate:** Not determined.
- **Solubility in / Miscibility with:**
 - Water:** Fully miscible.
- **Partition coefficient (n-octanol/water):** Not determined.
- **Viscosity:**
 - Dynamic:** Not determined.
 - Kinematic:** Not determined.
- **Solvent content:**
 - Organic solvents:** 34.0 %
 - VOC content:** 33.0 %
 - 330.0 g/l / 2.75 lb/gl
- **Other information:** No further relevant information available.

10 Stability and Reactivity

- **Reactivity:** No further relevant information available.
- **Chemical stability:** Stable under normal conditions.
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions:** No dangerous reactions known.
- **Conditions to avoid:** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

(Contd. on page 5)

**Safety Data Sheet (SDS)**

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 02/23/2016

Reviewed on 02/23/2016

Trade name: Electrum Premium Tattoo Stencil Primer**11 Toxicological Information**

- **Information on toxicological effects:**
- **Acute toxicity:**

- **LD/LC50 values that are relevant for classification:**

57-55-6 Propylene Glycol

Oral	LD50	20000 mg/kg (rat)
Dermal	LD50	20800 mg/kg (rabbit)
Inhalative	LC50/96 hours	52930 mg/l (Pimephales)
	Intravenous	6630 mg/kg (mouse)
		6423 mg/kg (rat)
		6500 mg/kg (rabbit)

56-81-5 Glycerol

Oral	LD50	12600 mg/kg (rat)
Dermal	LD50	>10000 mg/kg (rabbit)
Inhalative	LC50/96 hours	>50.000 mg/l (Trout)

102-71-6 Triethanolamine, TEA

Oral	LD50	5530 mg/kg (rat)
		2200 mg/kg (rabbit)
	LD50 Oral	2200 ml/kg (Guinea Pig)
Dermal	LD50	5846 ml/kg (mouse)
		>22500 mg/kg (rabbit)

- **Primary irritant effect:**
- **On the skin:** No irritating effect.
- **On the eye:** Irritating effect.
- **Additional toxicological information:**
The product shows the following dangers according to internally approved calculation methods for preparations:
Irritant

- **Carcinogenic categories:**
- **IARC (International Agency for Research on Cancer):**
Group 1 - Carcinogenic to humans
Group 2A - Probably carcinogenic to humans
Group 2B - Possibly carcinogenic to humans
Group 3 - Not classifiable as to its carcinogenicity to humans
Group 4 - Probably not carcinogenic to humans

9003-01-4	Carbomer	3
102-71-6	Triethanolamine, TEA	3

- **NTP (National Toxicology Program):**

None of the ingredients are listed.

- **OSHA-Ca (Occupational Safety & Health Administration):**

None of the ingredients are listed.

(Contd. on page 6)



Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 02/23/2016

Reviewed on 02/23/2016

Trade name: **Electrum Premium Tattoo Stencil Primer**

12 Ecological Information

· **Toxicity:**

· Aquatic toxicity:
57-55-6 Propylene Glycol
EC50 >10000 mg/l (daphnia)
102-71-6 Triethanolamine, TEA
EC50 609.98 mg/l (daphnia)

- **Persistence and degradability:** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential:** No further relevant information available.
- **Mobility in soil:** No further relevant information available.
- **Additional ecological information:**
- **General notes:**
Do not allow undiluted product or product that has not been neutralized to reach ground water, water course or sewage system.
- **Results of PBT and vPvB assessment:**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects:** No further relevant information available.

13 Disposal Considerations

- **Waste treatment methods:**
- **Recommendation:**
Observe all federal, state and local environmental regulations when disposing of this material.
- **Uncleaned packagings**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

14 Transport Information

- **UN-Number:**
- **DOT, ADR, IMDG, IATA** Non-Regulated Material
- **UN proper shipping name:**
- **DOT, ADR, IMDG, IATA** Non-Regulated Material
- **Transport hazard class(es):**
- **DOT, ADR, IMDG, IATA**
- **Class:** Non-Regulated Material
- **Packing group:**
- **DOT, ADR, IMDG, IATA** Non-Regulated Material
- **Environmental hazards:** Not applicable.
- **Special precautions for user:** Not applicable.
- **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:** Not applicable.
- **UN "Model Regulation":** Non-Regulated Material

(Contd. on page 7)

**Safety Data Sheet (SDS)**

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 02/23/2016

Reviewed on 02/23/2016

Trade name: Electrum Premium Tattoo Stencil Primer**15 Regulatory Information**

- **Safety, health and environmental regulations/legislation specific for the substance or mixture:**
- **SARA (Superfund Amendments and Reauthorization):**

· Section 355 (extremely hazardous substances):
--

None of the ingredients are listed.

· Section 313 (Specific toxic chemical listings):
--

None of the ingredients are listed.

· TSCA (Toxic Substances Control Act):

57-55-6	Propylene Glycol
---------	------------------

56-81-5	Glycerol
---------	----------

9003-01-4	Carbomer
-----------	----------

102-71-6	Triethanolamine, TEA
----------	----------------------

24634-61-5	Potassium Sorbate
------------	-------------------

60-00-4	Edetic acid
---------	-------------

7732-18-5	Water, distilled water, deionized water
-----------	---

· California Proposition 65:

· Chemicals known to cause cancer:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for females:
--

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for males:
--

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

· New Jersey Right-to-Know List:

57-55-6	Propylene Glycol
---------	------------------

56-81-5	Glycerol
---------	----------

102-71-6	Triethanolamine, TEA
----------	----------------------

60-00-4	Edetic acid
---------	-------------

· New Jersey Special Hazardous Substance List:

None of the ingredients are listed.

· Pennsylvania Special Hazardous Substance List:

60-00-4	Edetic acid	E
---------	-------------	---

· Carcinogenic categories:

· EPA (Environmental Protection Agency):

None of the ingredients are listed.

· TLV (Threshold Limit Value established by ACGIH):
--

None of the ingredients are listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health):
--

None of the ingredients are listed.

(Contd. on page 8)



Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 02/23/2016

Reviewed on 02/23/2016

Trade name: Electrum Premium Tattoo Stencil Primer**GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms:** Non-Regulated Material

· **Signal word:** Warning

· **Hazard statements:**

H320 Causes eye irritation.

· **Precautionary statements:**

P264 Wash thoroughly after handling.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

· **National regulations:**

The product is subject to be classified according with the latest version of the regulations on hazardous substances.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other Information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

· **Date of preparation / last revision:** 02/23/2016 / -

· **Abbreviations and acronyms:**

ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road

ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

Eye Irrit. 2B: Serious eye damage/eye irritation, Hazard Category 2B

STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3

· *** Data compared to the previous version altered.**

SDS created by MSDS Authoring Services www.msdsauthoring.com +1-877-204-9106