

# MSDS/ Material Safety Data Sheet

## Millennium Colorworks Inc.

MSDS/Number: # 14KTG

Revision Date: 3/22/08

### 1. PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**

Millennium Colorworks Inc.  
68 Cabot Street, Babylon NY 11704  
Contact: Lou Rubino Jr.  
1-800-295-899  
Fax: 631-752-3822  
www.technicaltattoosupply.com

**Product Name:** 14KT Gold

### 2. COMPOSITION/INFORMATION AND INGREDIENTS

Proprietary resin: VO118534A  
Water: C.A.S. # 7732-18-5  
Glycerin: C.A.S. #56-81-5  
Yellow pigment 14: CI# 21095  
Pigment Orange 16: CI#21160  
Pigment white 6: CI# 77891

### 3. HAZARDS IDENTIFICATION

Route of Entry: Skin, ingestion and inhalation  
Target Organs: None unknown  
Inhalation: Can cause minor respiratory irritation  
Skin Contact: Can cause minor skin irritation.  
Eye Contact: Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue  
Ingestion: No data available

### 4. FIRST AID MEASURES

Inhalation: Inhalation is unlikely route of exposure for this product. If irritation or other symptoms occur, remove to fresh air. Get medical attention if irritation persists.

Skin Contact: Wash affected areas with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

# MSDS/ Material Safety Data Sheet

## Millennium Colorworks Inc.

---

MSDS/Number: NEW

Revision Date: 3/22/08

---

Eye Contact: Flush with plenty of water for 15 minutes, especially under eyelids.  
Get medical attention if irritation persists.

Ingestion: Do not induce vomiting. Consult a physician or poison control  
Center immediately

### 5. FIRE FIGHTING MEASURES

Flash Point: None flammable material

Flash Point Method: Fire point calculated >212F (100C)

Flammability limits: Not applicable

Extinguishing Media: Foam, alcohol foam, CO2, dry chemical

Special Fire Fighting Procedures: Do not enter fire area without proper protection  
including self contained breathing apparatus and  
full protective equipment. Fight fire from a safe  
distance and a protected location due to the  
potential of hazardous vapors and decomposition  
products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6. ACCIDENTAL RELEASE MEASURES

Contain Spill with material such as dry sand or sawdust. Scoop into appropriate waste  
Container for disposal

### 7. HANDLING AND STORAGE

Handling: Wash thoroughly after handling

Storage: Store in moderately cool well ventilated area away from direct  
heat. Avoid freezing (32F)

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Control: Local exhaust recommended as well as safety glasses & gloves.

Exposure Limits: Glycerin 10mg/m3(TWA)

# MSDS/ Material Safety Data Sheet

## Millennium Colorworks Inc.

---

MSDS/Number: NEW

Revision Date: 3/22/08

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Colored liquid  
Odor: Slight ammonia

### 10. STABILITY AND REACTIVITY

None

### 11. TOXIOLOGICAL INFORMATION

Carcinogenicity: None per OSHA, IARC or NTP  
Mutagenicity: None indicated  
Reproductive Effects: None indicated

### 12. ECOLOGICAL INFORMATION

Environmental Degradation: Slightly toxic to fish

### 13. DISPOSAL CONSIDERATION

Disposal: Incineration or landfilling recommended or as State, Local regulations apply

### 14. TRANSPORTATION INFORMATION

DOT Shipping Name: Not required  
DOT Hazard Class: None  
DOT Label: None  
DOT Placard: None

# **MSDS/ Material Safety Data Sheet**

## **Millennium Colorworks Inc.**

---

---

**MSDS/Number: NEW**

**Revision Date: 3/22/08**

---

### **15. REGULATORY INFORMATION**

OSHA:                    Maybe mildly irritating to the eyes

# MSDS/ Material Safety Data Sheet

## Millennium Colorworks Inc.

MSDS/Number: #57C

Revision Date: 3/22/08

### 1. PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**

Millennium Colorworks Inc.  
68 Cabot Street, Babylon NY 11704  
Contact: Lou Rubino Jr.  
1-800-295-899  
Fax: 631-752-3822  
www.technicaltattoosupply.com

**Product Name:** 57 Chevy

### 2. COMPOSITION/INFORMATION AND INGREDIENTS

Proprietary Resin:	VO118534A
Water:	C.A.S. # 7732-18-5
Glycerin:	C.A.S. #56-81-5
Pigment White 6:	CI# 77891
Pigment Blue 15:	CI# 74160
Pigment Green:	CI# 74260
Pigment Yellow 14:	CI# 21095

### 3. HAZARDS IDENTIFICATION

Route of Entry:	Skin, ingestion and inhalation
Target Organs:	None unknown
Inhalation:	Can cause minor respiratory irritation
Skin Contact:	Can cause minor skin irritation.
Eye Contact:	Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue
Ingestion:	No data available

### 4. FIRST AID MEASURES

Inhalation:	Inhalation is unlikely route of exposure for this product. If irritation or other symptoms occur, remove to fresh air. Get medical attention if irritation persists.
-------------	--

# MSDS/ Material Safety Data Sheet

## Millennium Colorworks Inc.

---

**MSDS/Number: NEW**

**Revision Date: 3/22/08**

**Skin Contact:** Wash affected areas with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**Eye Contact:** Flush with plenty of water for 15 minutes, especially under eyelids. Get medical attention if irritation persists.

**Ingestion:** Do not induce vomiting. Consult a physician or poison control Center immediately

### 5. FIRE FIGHTING MEASURES

**Flash Point:** None flammable material

**Flash Point Method:** Fire point calculated >212F (100C)

**Flammability limits:** Not applicable

**Extinguishing Media:** Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and a protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

**Hazardous Combustion Products:** Carbon dioxide, carbon monoxide

### 6. ACCIDENTAL RELEASE MEASURES

Contain Spill with material such as dry sand or sawdust. Scoop into appropriate waste Container for disposal

### 7. HANDLING AND STORAGE

**Handling:** Wash thoroughly after handling

**Storage:** Store in moderately cool well ventilated area away from direct heat. Avoid freezing (32F)

# MSDS/ Material Safety Data Sheet

## Millennium Colorworks Inc.

---

MSDS/Number: NEW

Revision Date: 3/22/08

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Control: Local exhaust recommended as well as safety glasses & gloves.  
Exposure Limits: Glycerin 10mg/m<sup>3</sup>(TWA)

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Colored liquid  
Odor: Slight ammonia

### 10. STABILITY AND REACTIVITY

None

### 11. TOXIOLOGICAL INFORMATION

Carcinogenicity: None per OSHA, IARC or NTP  
Mutagenicity: None indicated  
Reproductive Effects: None indicated

### 12. ECOLOGICAL INFORMATION

Environmental Degradation: Slightly toxic to fish

### 13. DISPOSAL CONSIDERATION

Disposal: Incineration or landfilling recommended or as State, Local regulations apply

# MSDS/ Material Safety Data Sheet

## Millennium Colorworks Inc.

---

MSDS/Number: NEW

Revision Date: 3/22/08

---

### 14. TRANSPORTATION INFORMATION

DOT Shipping Name:	Not required
DOT Hazard Class:	None
DOT Label:	None
DOT Placard:	None

### 15. REGULATORY INFORMATION

OSHA: Maybe mildly irritating to the eyes



# MSDS/ Material Safety Data Sheet

## Millennium Colorworks Inc.

---

MSDS/Number: #AO

Revision Date: 3/22/08

---

### 1. PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**

Millennium Colorworks Inc.  
68 Cabot Street, Babylon NY 11704  
Contact: Lou Rubino Jr.  
1-800-295-899  
Fax: 631-752-3822  
www.technicaltattoosupply.com

**Product Name: Agent Orange**

### 2. COMPOSITION/INFORMATION AND INGREDIENTS

Proprietary Resin:	VO118534A
Water:	C.A.S. # 7732-18-5
Glycerin:	C.A.S. #56-81-5
Pigment Orange 16:	CI# 21160
Pigment Yellow 14:	CI# 21095
Pigment Red 170:	CI# 12475
Isopropyl Alcohol 99%	C.A.S. 67-63-0

### 3. HAZARDS IDENTIFICATION

Route of Entry:	Skin, ingestion and inhalation
Target Organs:	None unknown
Inhalation:	Can cause minor respiratory irritation
Skin Contact:	Can cause minor skin irritation.
Eye Contact:	Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue
Ingestion:	No data available

### 4. FIRST AID MEASURES

Inhalation:	Inhalation is unlikely route of exposure for this product. If irritation or other symptoms occur, remove to fresh air. Get medical attention if irritation persists.
-------------	--

# MSDS/ Material Safety Data Sheet

## Millennium Colorworks Inc.

---

MSDS/Number: NEW

Revision Date: 3/22/08

---

Skin Contact: Wash affected areas with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

Eye Contact: Flush with plenty of water for 15 minutes, especially under eyelids. Get medical attention if irritation persists.

Ingestion: Do not induce vomiting. Consult a physician or poison control Center immediately

### 5. FIRE FIGHTING MEASURES

Flash Point: None flammable material

Flash Point Method: Fire point calculated >212F (100C)

Flammability limits: Not applicable

Extinguishing Media: Foam, alcohol foam, CO2, dry chemical

Special Fire Fighting Procedures: Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and a protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6. ACCIDENTAL RELEASE MEASURES

Contain Spill with material such as dry sand or sawdust. Scoop into appropriate waste Container for disposal

### 7. HANDLING AND STORAGE

Handling: Wash thoroughly after handling

Storage: Store in moderately cool well ventilated area away from direct heat. Avoid freezing (32F)

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Control: Local exhaust recommended as well as safety glasses & gloves.

Exposure Limits: Glycerin 10mg/m3(TWA)

# MSDS/ Material Safety Data Sheet

## Millennium Colorworks Inc.

---

MSDS/Number: NEW

Revision Date: 3/22/08

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Colored liquid  
Odor: Slight ammonia

### 10. STABILITY AND REACTIVITY

None

### 11. TOXIOLOGICAL INFORMATION

Carcinogenicity: None per OSHA, IARC or NTP  
Mutagenicity: None indicated  
Reproductive Effects: None indicated

### 12. ECOLOGICAL INFORMATION

Environmental Degradation: Slightly toxic to fish

### 13. DISPOSAL CONSIDERATION

Disposal: Incineration or landfilling recommended or as State, Local regulations apply

### 14. TRANSPORTATION INFORMATION

DOT Shipping Name: Not required  
DOT Hazard Class: None  
DOT Label: None  
DOT Placard: None

# **MSDS/ Material Safety Data Sheet**

## **Millennium Colorworks Inc.**

---

---

**MSDS/Number: NEW**

**Revision Date: 3/22/08**

---

### **15. REGULATORY INFORMATION**

OSHA:                    Maybe mildly irritating to the eyes

# MSDS/ Material Safety Data Sheet

## Millennium Colorworks Inc.

---

MSDS/Number: #BC

Revision Date: 3/22/08

### 1. PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**  
Millennium Colorworks Inc.  
68 Cabot Street, Babylon NY 11704  
Contact: Lou Rubino Jr.  
1-800-295-899  
Fax: 631-752-3822  
www.technicaltattoosupply.com

**Product Name:** Black Cherry

### 2. COMPOSITION/INFORMATION AND INGREDIENTS

Proprietary Resin:	VO118534A
Water:	C.A.S. # 7732-18-5
Glycerin:	C.A.S. #56-81-5
Pigment Red 269:	CI# 12466

### 3. HAZARDS IDENTIFICATION

Route of Entry:	Skin, ingestion and inhalation
Target Organs:	None unknown
Inhalation:	Can cause minor respiratory irritation
Skin Contact:	Can cause minor skin irritation.
Eye Contact:	Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue
Ingestion:	No data available

### 4. FIRST AID MEASURES

Inhalation:	Inhalation is unlikely route of exposure for this product. If irritation or other symptoms occur, remove to fresh air. Get medical attention if irritation persists.
Skin Contact:	Wash affected areas with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

# MSDS/ Material Safety Data Sheet

## Millennium Colorworks Inc.

---

MSDS/Number: NEW

Revision Date: 3/22/08

Eye Contact: Flush with plenty of water for 15 minutes, especially under eyelids.  
Get medical attention if irritation persists.

Ingestion: Do not induce vomiting. Consult a physician or poison control  
Center immediately

### 5. FIRE FIGHTING MEASURES

Flash Point: None flammable material

Flash Point Method: Fire point calculated >212F (100C)

Flammability limits: Not applicable

Extinguishing Media: Foam, alcohol foam, CO<sub>2</sub>, dry chemical

Special Fire Fighting Procedures: Do not enter fire area without proper protection  
including self contained breathing apparatus and  
full protective equipment. Fight fire from a safe  
distance and a protected location due to the  
potential of hazardous vapors and decomposition  
products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6. ACCIDENTAL RELEASE MEASURES

Contain Spill with material such as dry sand or sawdust. Scoop into appropriate waste  
Container for disposal

### 7. HANDLING AND STORAGE

Handling: Wash thoroughly after handling

Storage: Store in moderately cool well ventilated area away from direct  
heat. Avoid freezing (32F)

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Control: Local exhaust recommended as well as safety glasses & gloves.

Exposure Limits: Glycerin 10mg/m<sup>3</sup>(TWA)

# MSDS/ Material Safety Data Sheet

## Millennium Colorworks Inc.

---

MSDS/Number: NEW

Revision Date: 3/22/08

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Colored liquid  
Odor: Slight ammonia

### 10. STABILITY AND REACTIVITY

None

### 11. TOXIOLOGICAL INFORMATION

Carcinogenicity: None per OSHA, IARC or NTP  
Mutagenicity: None indicated  
Reproductive Effects: None indicated

### 12. ECOLOGICAL INFORMATION

Environmental Degradation: Slightly toxic to fish

### 13. DISPOSAL CONSIDERATION

Disposal: Incineration or landfilling recommended or as State, Local regulations apply

### 14. TRANSPORTATION INFORMATION

DOT Shipping Name: Not required  
DOT Hazard Class: None  
DOT Label: None  
DOT Placard: None

# **MSDS/ Material Safety Data Sheet**

## **Millennium Colorworks Inc.**

---

---

**MSDS/Number: NEW**

**Revision Date: 3/22/08**

---

### **15. REGULATORY INFORMATION**

OSHA:                      Maybe mildly irritating to the eyes



# MSDS/ Material Safety Data Sheet

## Millennium Colorworks Inc.

---

MSDS/Number: #BO

Revision Date: 3/22/08

### 1. PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**

Millennium Colorworks Inc.  
68 Cabot Street, Babylon NY 11704  
Contact: Lou Rubino Jr.  
1-800-295-899  
Fax: 631-752-3822  
www.technicaltattoosupply.com

**Product Name:** Black Onyx

### 2. COMPOSITION/INFORMATION AND INGREDIENTS

Water:	C.A.S. # 7732-18-5
Glycerin:	C.A.S. #56-81-5
Carbon Black 7	C.A.S. #1333-86-4

### 3. HAZARDS IDENTIFICATION

Route of Entry:	Skin, ingestion and inhalation
Target Organs:	None unknown
Inhalation:	Can cause minor respiratory irritation
Skin Contact:	Can cause minor skin irritation.
Eye Contact:	Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue
Ingestion:	No data available

### 4. FIRST AID MEASURES

Inhalation:	Inhalation is unlikely route of exposure for this product. If irritation or other symptoms occur, remove to fresh air. Get medical attention if irritation persists.
Skin Contact:	Wash affected areas with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

# MSDS/ Material Safety Data Sheet

## Millennium Colorworks Inc.

---

MSDS/Number: NEW

Revision Date: 3/22/08

---

Eye Contact: Flush with plenty of water for 15 minutes, especially under eyelids.  
Get medical attention if irritation persists.

Ingestion: Do not induce vomiting. Consult a physician or poison control  
Center immediately

### 5. FIRE FIGHTING MEASURES

Flash Point: None flammable material

Flash Point Method: Fire point calculated >212F (100C)

Flammability limits: Not applicable

Extinguishing Media: Foam, alcohol foam, CO<sub>2</sub>, dry chemical

Special Fire Fighting Procedures: Do not enter fire area without proper protection  
including self contained breathing apparatus and  
full protective equipment. Fight fire from a safe  
distance and a protected location due to the  
potential of hazardous vapors and decomposition  
products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6. ACCIDENTAL RELEASE MEASURES

Contain Spill with material such as dry sand or sawdust. Scoop into appropriate waste  
Container for disposal

### 7. HANDLING AND STORAGE

Handling: Wash thoroughly after handling

Storage: Store in moderately cool well ventilated area away from direct  
heat. Avoid freezing (32F)

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Control: Local exhaust recommended as well as safety glasses & gloves.

Exposure Limits: Glycerin 10mg/m<sup>3</sup>(TWA)

# MSDS/ Material Safety Data Sheet

## Millennium Colorworks Inc.

---

MSDS/Number: NEW

Revision Date: 3/22/08

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Colored liquid  
Odor: Slight ammonia

### 10. STABILITY AND REACTIVITY

None

### 11. TOXIOLOGICAL INFORMATION

Carcinogenicity: None per OSHA, IARC or NTP  
Mutagenicity: None indicated  
Reproductive Effects: None indicated

### 12. ECOLOGICAL INFORMATION

Environmental Degradation: Slightly toxic to fish

### 13. DISPOSAL CONSIDERATION

Disposal: Incineration or landfilling recommended or as State, Local regulations apply

### 14. TRANSPORTATION INFORMATION

DOT Shipping Name: Not required  
DOT Hazard Class: None  
DOT Label: None  
DOT Placard: None

# **MSDS/ Material Safety Data Sheet**

## **Millennium Colorworks Inc.**

---

---

**MSDS/Number: NEW**

**Revision Date: 3/22/08**

---

### **15. REGULATORY INFORMATION**

OSHA:                    Maybe mildly irritating to the eyes

# MSDS/ Material Safety Data Sheet

## Millennium Colorworks Inc.

MSDS/Number: #BJ

Revision Date: 3/22/08

### 1. PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**

Millennium Colorworks Inc.  
68 Cabot Street, Babylon NY 11704  
Contact: Lou Rubino Jr.  
1-800-295-899  
Fax: 631-752-3822  
www.technicaltattoosupply.com

**Product Name:** Blu Job

### 2. COMPOSITION/INFORMATION AND INGREDIENTS

Proprietary Resin:	VO118534A
Water:	C.A.S. # 7732-18-5
Glycerin:	C.A.S. #56-81-5
Pigment White 6:	CI# 77891
Pigment Blue 15:	CI# 74160
Pigment Green:	CI# 74260
Pigment Yellow 14:	CI# 21095

### 3. HAZARDS IDENTIFICATION

Route of Entry:	Skin, ingestion and inhalation
Target Organs:	None unknown
Inhalation:	Can cause minor respiratory irritation
Skin Contact:	Can cause minor skin irritation.
Eye Contact:	Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue
Ingestion:	No data available

### 4. FIRST AID MEASURES

Inhalation:	Inhalation is unlikely route of exposure for this product. If irritation or other symptoms occur, remove to fresh air. Get medical attention if irritation persists.
-------------	--

# MSDS/ Material Safety Data Sheet

## Millennium Colorworks Inc.

---

**MSDS/Number: NEW**

**Revision Date: 3/22/08**

---

**Skin Contact:** Wash affected areas with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**Eye Contact:** Flush with plenty of water for 15 minutes, especially under eyelids. Get medical attention if irritation persists.

**Ingestion:** Do not induce vomiting. Consult a physician or poison control Center immediately

### **5. FIRE FIGHTING MEASURES**

**Flash Point:** None flammable material

**Flash Point Method:** Fire point calculated >212F (100C)

**Flammability limits:** Not applicable

**Extinguishing Media:** Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and a protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

**Hazardous Combustion Products:** Carbon dioxide, carbon monoxide

### **6. ACCIDENTAL RELEASE MEASURES**

Contain Spill with material such as dry sand or sawdust. Scoop into appropriate waste Container for disposal

### **7. HANDLING AND STORAGE**

**Handling:** Wash thoroughly after handling

**Storage:** Store in moderately cool well ventilated area away from direct heat. Avoid freezing (32F)

# MSDS/ Material Safety Data Sheet

## Millennium Colorworks Inc.

---

MSDS/Number: NEW

Revision Date: 3/22/08

---

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Control: Local exhaust recommended as well as safety glasses & gloves.  
Exposure Limits: Glycerin 10mg/m<sup>3</sup>(TWA)

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Colored liquid  
Odor: Slight ammonia

### 10. STABILITY AND REACTIVITY

None

### 11. TOXIOLOGICAL INFORMATION

Carcinogenicity: None per OSHA, IARC or NTP  
Mutagenicity: None indicated  
Reproductive Effects: None indicated

### 12. ECOLOGICAL INFORMATION

Environmental Degradation: Slightly toxic to fish

### 13. DISPOSAL CONSIDERATION

Disposal: Incineration or landfilling recommended or as State, Local regulations apply

# MSDS/ Material Safety Data Sheet

## Millennium Colorworks Inc.

---

MSDS/Number: NEW

Revision Date: 3/22/08

---

### 14. TRANSPORTATION INFORMATION

DOT Shipping Name:	Not required
DOT Hazard Class:	None
DOT Label:	None
DOT Placard:	None

### 15. REGULATORY INFORMATION

OSHA: Maybe mildly irritating to the eyes



# MSDS/ Material Safety Data Sheet

## Millennium Colorworks Inc.

---

MSDS/Number: #BB

Revision Date: 3/22/08

---

### 1. PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**

Millennium Colorworks Inc.  
68 Cabot Street, Babylon NY 11704  
Contact: Lou Rubino Jr.  
1-800-295-899  
Fax: 631-752-3822  
www.technicaltattoosupply.com

**Product Name:** Blue Balls

### 2. COMPOSITION/INFORMATION AND INGREDIENTS

Proprietary Resin:	VO118534A
Water:	C.A.S. # 7732-18-5
Glycerin:	C.A.S. #56-81-5
Pigment Blue 15:	CI# 74160
Pigment White 6:	CI# 77891

### 3. HAZARDS IDENTIFICATION

Route of Entry:	Skin, ingestion and inhalation
Target Organs:	None unknown
Inhalation:	Can cause minor respiratory irritation
Skin Contact:	Can cause minor skin irritation.
Eye Contact:	Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue
Ingestion:	No data available

### 4. FIRST AID MEASURES

Inhalation:	Inhalation is unlikely route of exposure for this product. If irritation or other symptoms occur, remove to fresh air. Get medical attention if irritation persists.
Skin Contact:	Wash affected areas with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

# MSDS/ Material Safety Data Sheet

## Millennium Colorworks Inc.

---

MSDS/Number: NEW

Revision Date: 3/22/08

---

Eye Contact: Flush with plenty of water for 15 minutes, especially under eyelids.  
Get medical attention if irritation persists.

Ingestion: Do not induce vomiting. Consult a physician or poison control  
Center immediately

### 5. FIRE FIGHTING MEASURES

Flash Point: None flammable material

Flash Point Method: Fire point calculated >212F (100C)

Flammability limits: Not applicable

Extinguishing Media: Foam, alcohol foam, CO2, dry chemical

Special Fire Fighting Procedures: Do not enter fire area without proper protection  
including self contained breathing apparatus and  
full protective equipment. Fight fire from a safe  
distance and a protected location due to the  
potential of hazardous vapors and decomposition  
products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6. ACCIDENTAL RELEASE MEASURES

Contain Spill with material such as dry sand or sawdust. Scoop into appropriate waste  
Container for disposal

### 7. HANDLING AND STORAGE

Handling: Wash thoroughly after handling

Storage: Store in moderately cool well ventilated area away from direct  
heat. Avoid freezing (32F)

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Control: Local exhaust recommended as well as safety glasses & gloves.

Exposure Limits: Glycerin 10mg/m3(TWA)

# MSDS/ Material Safety Data Sheet

## Millennium Colorworks Inc.

---

MSDS/Number: NEW

Revision Date: 3/22/08

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Colored liquid  
Odor: Slight ammonia

### 10. STABILITY AND REACTIVITY

None

### 11. TOXIOLOGICAL INFORMATION

Carcinogenicity: None per OSHA, IARC or NTP  
Mutagenicity: None indicated  
Reproductive Effects: None indicated

### 12. ECOLOGICAL INFORMATION

Environmental Degradation: Slightly toxic to fish

### 13. DISPOSAL CONSIDERATION

Disposal: Incineration or landfilling recommended or as State, Local regulations apply

### 14. TRANSPORTATION INFORMATION

DOT Shipping Name: Not required  
DOT Hazard Class: None  
DOT Label: None  
DOT Placard: None

# **MSDS/ Material Safety Data Sheet**

## **Millennium Colorworks Inc.**

---

---

**MSDS/Number: NEW**

**Revision Date: 3/22/08**

---

### **15. REGULATORY INFORMATION**

OSHA:                    Maybe mildly irritating to the eyes

# MSDS/ Material Safety Data Sheet

## Millennium Colorworks Inc.

MSDS/Number: #BS

Revision Date: 3/22/08

### 1. PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**

Millennium Colorworks Inc.  
68 Cabot Street, Babylon NY 11704  
Contact: Lou Rubino Jr.  
1-800-295-899  
Fax: 631-752-3822  
www.technicaltattoosupply.com

**Product Name: Brown Sugar**

### 2. COMPOSITION/INFORMATION AND INGREDIENTS

Proprietary Resin:	VO118534A
Water:	C.A.S. # 7732-18-5
Glycerin:	C.A.S. #56-81-5
Yellow Pigment 14:	CI# 21095
Pigment Red 170:	CI#12475
Pigment White 6:	CI# 77891
Pigment Black 7:	CI#77226

### 3. HAZARDS IDENTIFICATION

Route of Entry:	Skin, ingestion and inhalation
Target Organs:	None unknown
Inhalation:	Can cause minor respiratory irritation
Skin Contact:	Can cause minor skin irritation.
Eye Contact:	Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue
Ingestion:	No data available

### 4. FIRST AID MEASURES

Inhalation:	Inhalation is unlikely route of exposure for this product. If irritation or other symptoms occur, remove to fresh air. Get medical attention if irritation persists.
-------------	--

# MSDS/ Material Safety Data Sheet

## Millennium Colorworks Inc.

---

MSDS/Number: NEW

Revision Date: 3/22/08

Skin Contact: Wash affected areas with soap and water. Remove contaminated clothing. Get medical attention if irritation persists  
Eye Contact: Flush with plenty of water for 15 minutes, especially under eyelids. Get medical attention if irritation persists.  
Ingestion: Do not induce vomiting. Consult a physician or poison control Center immediately

### 5. FIRE FIGHTING MEASURES

Flash Point: None flammable material  
Flash Point Method: Fire point calculated >212F (100C)  
Flammability limits: Not applicable  
Extinguishing Media: Foam, alcohol foam, CO2, dry chemical  
Special Fire Fighting Procedures: Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and a protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.  
Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6. ACCIDENTAL RELEASE MEASURES

Contain Spill with material such as dry sand or sawdust. Scoop into appropriate waste Container for disposal

### 7. HANDLING AND STORAGE

Handling: Wash thoroughly after handling  
Storage: Store in moderately cool well ventilated area away from direct heat. Avoid freezing (32F)

# MSDS/ Material Safety Data Sheet

## Millennium Colorworks Inc.

---

MSDS/Number: NEW

Revision Date: 3/22/08

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Control: Local exhaust recommended as well as safety glasses & gloves.  
Exposure Limits: Glycerin 10mg/m<sup>3</sup>(TWA)

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Colored liquid  
Odor: Slight ammonia

### 10. STABILITY AND REACTIVITY

None

### 11. TOXIOLOGICAL INFORMATION

Carcinogenicity: None per OSHA, IARC or NTP  
Mutagenicity: None indicated  
Reproductive Effects: None indicated

### 12. ECOLOGICAL INFORMATION

Environmental Degradation: Slightly toxic to fish

### 13. DISPOSAL CONSIDERATION

Disposal: Incineration or landfilling recommended or as State, Local regulations apply

# **MSDS/ Material Safety Data Sheet**

## **Millennium Colorworks Inc.**

---

---

**MSDS/Number: NEW**

**Revision Date: 3/22/08**

---

### **14. TRANSPORTATION INFORMATION**

DOT Shipping Name: Not required

DOT Hazard Class: None

DOT Label: None

DOT Placard: None

### **15. REGULATORY INFORMATION**

OSHA: Maybe mildly irritating to the eyes



# MSDS/ Material Safety Data Sheet

## Millennium Colorworks Inc.

MSDS/Number: #BOO

Revision Date: 3/22/08

### 1. PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**

Millennium Colorworks Inc.  
68 Cabot Street, Babylon NY 11704  
Contact: Lou Rubino Jr.  
1-800-295-899  
Fax: 631-752-3822  
www.technicaltattoosupply.com

**Product Name:** Burnt Out Orange

### 2. COMPOSITION/INFORMATION AND INGREDIENTS

Proprietary resin: VO118534A  
Water: C.A.S. # 7732-18-5  
Glycerin: C.A.S. #56-81-5  
Pigment white 6: CI# 77891  
Yellow pigment 14: CI# 21095  
Pigment Orange 16: CI#21160  
Pigment Black 7: CI# 77226

### 3. HAZARDS IDENTIFICATION

Route of Entry: Skin, ingestion and inhalation  
Target Organs: None unknown  
Inhalation: Can cause minor respiratory irritation  
Skin Contact: Can cause minor skin irritation.  
Eye Contact: Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue  
Ingestion: No data available

### 4. FIRST AID MEASURES

Inhalation: Inhalation is unlikely route of exposure for this product. If irritation or other symptoms occur, remove to fresh air. Get medical attention if irritation persists.

# MSDS/ Material Safety Data Sheet

## Millennium Colorworks Inc.

MSDS/Number: NEW

Revision Date: 3/22/08

Skin Contact: Wash affected areas with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

Eye Contact: Flush with plenty of water for 15 minutes, especially under eyelids. Get medical attention if irritation persists.

Ingestion: Do not induce vomiting. Consult a physician or poison control Center immediately

### 5. FIRE FIGHTING MEASURES

Flash Point: None flammable material

Flash Point Method: Fire point calculated >212F (100C)

Flammability limits: Not applicable

Extinguishing Media: Foam, alcohol foam, CO2, dry chemical

Special Fire Fighting Procedures: Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and a protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6. ACCIDENTAL RELEASE MEASURES

Contain Spill with material such as dry sand or sawdust. Scoop into appropriate waste Container for disposal

### 7. HANDLING AND STORAGE

Handling: Wash thoroughly after handling

Storage: Store in moderately cool well ventilated area away from direct heat. Avoid freezing (32F)

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Control: Local exhaust recommended as well as safety glasses & gloves.

Exposure Limits: Glycerin 10mg/m3(TWA)

# MSDS/ Material Safety Data Sheet

## Millennium Colorworks Inc.

---

MSDS/Number: NEW

Revision Date: 3/22/08

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Colored liquid  
Odor: Slight ammonia

### 10. STABILITY AND REACTIVITY

None

### 11. TOXIOLOGICAL INFORMATION

Carcinogenicity: None per OSHA, IARC or NTP  
Mutagenicity: None indicated  
Reproductive Effects: None indicated

### 12. ECOLOGICAL INFORMATION

Environmental Degradation: Slightly toxic to fish

### 13. DISPOSAL CONSIDERATION

Disposal: Incineration or landfilling recommended or as State, Local regulations apply

### 14. TRANSPORTATION INFORMATION

DOT Shipping Name: Not required  
DOT Hazard Class: None  
DOT Label: None  
DOT Placard: None

# **MSDS/ Material Safety Data Sheet**

## **Millennium Colorworks Inc.**

---

---

**MSDS/Number: NEW**

**Revision Date: 3/22/08**

---

### **15. REGULATORY INFORMATION**

OSHA:                    Maybe mildly irritating to the eyes

# MSDS/ Material Safety Data Sheet

## Millennium Colorworks Inc.

---

MSDS/Number: #DZO

Revision Date: 3/22/08

---

### 1. PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**

Millennium Colorworks Inc.  
68 Cabot Street, Babylon NY 11704  
Contact: Lou Rubino Jr.  
1-800-295-899  
Fax: 631-752-3822  
www.technicaltattoosupply.com

**Product Name: Danger Zone**

### 2. COMPOSITION/INFORMATION AND INGREDIENTS

Proprietary resin: VO118534A  
Water: C.A.S. # 7732-18-5  
Glycerin: C.A.S. #56-81-5  
Pigment Orange 16: CI#21160  
Yellow pigment 14: CI# 21095  
Pigment white 6: CI# 77891

### 3. HAZARDS IDENTIFICATION

Route of Entry: Skin, ingestion and inhalation  
Target Organs: None unknown  
Inhalation: Can cause minor respiratory irritation  
Skin Contact: Can cause minor skin irritation.  
Eye Contact: Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue  
Ingestion: No data available

### 4. FIRST AID MEASURES

Inhalation: Inhalation is unlikely route of exposure for this product. If irritation or other symptoms occur, remove to fresh air. Get medical attention if irritation persists.

# MSDS/ Material Safety Data Sheet

## Millennium Colorworks Inc.

MSDS/Number: NEW

Revision Date: 3/22/08

Skin Contact: Wash affected areas with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

Eye Contact: Flush with plenty of water for 15 minutes, especially under eyelids. Get medical attention if irritation persists.

Ingestion: Do not induce vomiting. Consult a physician or poison control Center immediately

### 5. FIRE FIGHTING MEASURES

Flash Point: None flammable material

Flash Point Method: Fire point calculated >212F (100C)

Flammability limits: Not applicable

Extinguishing Media: Foam, alcohol foam, CO2, dry chemical

Special Fire Fighting Procedures: Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and a protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6. ACCIDENTAL RELEASE MEASURES

Contain Spill with material such as dry sand or sawdust. Scoop into appropriate waste Container for disposal

### 7. HANDLING AND STORAGE

Handling: Wash thoroughly after handling

Storage: Store in moderately cool well ventilated area away from direct heat. Avoid freezing (32F)

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Control: Local exhaust recommended as well as safety glasses & gloves.

Exposure Limits: Glycerin 10mg/m3(TWA)

# MSDS/ Material Safety Data Sheet

## Millennium Colorworks Inc.

---

MSDS/Number: NEW

Revision Date: 3/22/08

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Colored liquid  
Odor: Slight ammonia

### 10. STABILITY AND REACTIVITY

None

### 11. TOXIOLOGICAL INFORMATION

Carcinogenicity: None per OSHA, IARC or NTP  
Mutagenicity: None indicated  
Reproductive Effects: None indicated

### 12. ECOLOGICAL INFORMATION

Environmental Degradation: Slightly toxic to fish

### 13. DISPOSAL CONSIDERATION

Disposal: Incineration or landfilling recommended or as State, Local regulations apply

### 14. TRANSPORTATION INFORMATION

DOT Shipping Name: Not required  
DOT Hazard Class: None  
DOT Label: None  
DOT Placard: None

# **MSDS/ Material Safety Data Sheet**

## **Millennium Colorworks Inc.**

---

---

**MSDS/Number: NEW**

**Revision Date: 3/22/08**

---

### **15. REGULATORY INFORMATION**

OSHA:                    Maybe mildly irritating to the eyes



# MSDS/ Material Safety Data Sheet

## Millennium Colorworks Inc.

MSDS/Number: #DDB

Revision Date: 3/22/08

### 1. PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**

Millennium Colorworks Inc.  
68 Cabot Street, Babylon NY 11704  
Contact: Lou Rubino Jr.  
1-800-295-899  
Fax: 631-752-3822  
www.technicaltattoosupply.com

**Product Name:** Doo-Doo Brown

### 2. COMPOSITION/INFORMATION AND INGREDIENTS

Proprietary Resin:	VO118534A
Water:	C.A.S. # 7732-18-5
Glycerin:	C.A.S. #56-81-5
Yellow Pigment 14:	CI# 21095
Pigment Red 170:	CI#12475
Pigment Black 7:	CI#77226
Pigment White 6:	CI# 77891

### 3. HAZARDS IDENTIFICATION

Route of Entry:	Skin, ingestion and inhalation
Target Organs:	None unknown
Inhalation:	Can cause minor respiratory irritation
Skin Contact:	Can cause minor skin irritation.
Eye Contact:	Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue
Ingestion:	No data available

### 4. FIRST AID MEASURES

Inhalation:	Inhalation is unlikely route of exposure for this product. If irritation or other symptoms occur, remove to fresh air. Get medical attention if irritation persists.
-------------	--

# MSDS/ Material Safety Data Sheet

## Millennium Colorworks Inc.

---

**MSDS/Number: NEW**

**Revision Date: 3/22/08**

Skin Contact: Wash affected areas with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

Eye Contact: Flush with plenty of water for 15 minutes, especially under eyelids. Get medical attention if irritation persists.

Ingestion: Do not induce vomiting. Consult a physician or poison control Center immediately

### 5. FIRE FIGHTING MEASURES

Flash Point: None flammable material

Flash Point Method: Fire point calculated >212F (100C)

Flammability limits: Not applicable

Extinguishing Media: Foam, alcohol foam, CO2, dry chemical

Special Fire Fighting Procedures: Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and a protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6. ACCIDENTAL RELEASE MEASURES

Contain Spill with material such as dry sand or sawdust. Scoop into appropriate waste Container for disposal

### 7. HANDLING AND STORAGE

Handling: Wash thoroughly after handling

Storage: Store in moderately cool well ventilated area away from direct heat. Avoid freezing (32F)

# MSDS/ Material Safety Data Sheet

## Millennium Colorworks Inc.

---

MSDS/Number: NEW

Revision Date: 3/22/08

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Control: Local exhaust recommended as well as safety glasses & gloves.  
Exposure Limits: Glycerin 10mg/m<sup>3</sup>(TWA)

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Colored liquid  
Odor: Slight ammonia

### 10. STABILITY AND REACTIVITY

None

### 11. TOXIOLOGICAL INFORMATION

Carcinogenicity: None per OSHA, IARC or NTP  
Mutagenicity: None indicated  
Reproductive Effects: None indicated

### 12. ECOLOGICAL INFORMATION

Environmental Degradation: Slightly toxic to fish

### 13. DISPOSAL CONSIDERATION

Disposal: Incineration or landfilling recommended or as State, Local regulations apply

# **MSDS/ Material Safety Data Sheet**

## **Millennium Colorworks Inc.**

---

**MSDS/Number: NEW**

**Revision Date: 3/22/08**

---

### **14. TRANSPORTATION INFORMATION**

DOT Shipping Name: Not required

DOT Hazard Class: None

DOT Label: None

DOT Placard: None

### **15. REGULATORY INFORMATION**

OSHA: Maybe mildly irritating to the eyes

# MSDS/ Material Safety Data Sheet

## Millennium Colorworks Inc

---

MSDS/Number: #EPG

Revision Date: 3/22/08

---

### 1. PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**

Millennium Colorworks Inc.  
68 Cabot Street, Babylon NY 11704  
Contact: Lou Rubino Jr.  
1-800-295-899  
Fax: 631-752-3822  
www.technicaltattoosupply.com

**Product Name:** Ecto-Plasmic Green

### 2. COMPOSITION/INFORMATION AND INGREDIENTS

Proprietary Resin:	VO118534A
Water:	C.A.S. # 7732-18-5
Glycerin:	C.A.S. #56-81-5
Yellow Pigment 14:	CI#21095
Pigment White 6:	CI# 77891
Pigment Green 7:	CI#7426

### 3. HAZARDS IDENTIFICATION

Route of Entry:	Skin, ingestion and inhalation
Target Organs:	None unknown
Inhalation:	Can cause minor respiratory irritation
Skin Contact:	Can cause minor skin irritation.
Eye Contact:	Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue
Ingestion:	No data available

### 4. FIRST AID MEASURES

Inhalation:	Inhalation is unlikely route of exposure for this product. If irritation or other symptoms occur, remove to fresh air. Get medical attention if irritation persists.
Skin Contact:	Wash affected areas with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

# MSDS/ Material Safety Data Sheet

## Millennium Colorworks Inc.

---

MSDS/Number: NEW

Revision Date: 3/22/08

---

Eye Contact: Flush with plenty of water for 15 minutes, especially under eyelids.  
Get medical attention if irritation persists.

Ingestion: Do not induce vomiting. Consult a physician or poison control  
Center immediately

### 5. FIRE FIGHTING MEASURES

Flash Point: None flammable material

Flash Point Method: Fire point calculated >212F (100C)

Flammability limits: Not applicable

Extinguishing Media: Foam, alcohol foam, CO<sub>2</sub>, dry chemical

Special Fire Fighting Procedures: Do not enter fire area without proper protection  
including self contained breathing apparatus and  
full protective equipment. Fight fire from a safe  
distance and a protected location due to the  
potential of hazardous vapors and decomposition  
products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6. ACCIDENTAL RELEASE MEASURES

Contain Spill with material such as dry sand or sawdust. Scoop into appropriate waste  
Container for disposal

### 7. HANDLING AND STORAGE

Handling: Wash thoroughly after handling

Storage: Store in moderately cool well ventilated area away from direct  
heat. Avoid freezing (32F)

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Control: Local exhaust recommended as well as safety glasses & gloves.

Exposure Limits: Glycerin 10mg/m<sup>3</sup>(TWA)

# MSDS/ Material Safety Data Sheet

## Millennium Colorworks Inc.

---

MSDS/Number: NEW

Revision Date: 3/22/08

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Colored liquid  
Odor: Slight ammonia

### 10. STABILITY AND REACTIVITY

None

### 11. TOXIOLOGICAL INFORMATION

Carcinogenicity: None per OSHA, IARC or NTP  
Mutagenicity: None indicated  
Reproductive Effects: None indicated

### 12. ECOLOGICAL INFORMATION

Environmental Degradation: Slightly toxic to fish

### 13. DISPOSAL CONSIDERATION

Disposal: Incineration or landfilling recommended or as State, Local regulations apply

### 14. TRANSPORTATION INFORMATION

DOT Shipping Name: Not required  
DOT Hazard Class: None  
DOT Label: None  
DOT Placard: None

# **MSDS/ Material Safety Data Sheet**

## **Millennium Colorworks Inc.**

---

---

**MSDS/Number: NEW**

**Revision Date: 3/22/08**

---

### **15. REGULATORY INFORMATION**

OSHA:                    Maybe mildly irritating to the eyes



# MSDS/ Material Safety Data Sheet

## Millennium Colorworks Inc.

MSDS/Number: #FLF

Revision Date: 3/22/08

### 1. PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**

Millennium Colorworks Inc.  
68 Cabot Street, Babylon NY 11704  
Contact: Lou Rubino Jr.  
1-800-295-899  
Fax: 631-752-3822  
www.technicaltattoosupply.com

**Product Name:** Fleshy Flesh

### 2. COMPOSITION/INFORMATION AND INGREDIENTS

Proprietary Resin:	VO118534A
Water:	C.A.S. # 7732-18-5
Glycerin:	C.A.S. #56-81-5
Pigment White 6:	CI# 77891
Pigment Red 170:	CI#12475
Yellow Pigment 14:	CI# 21095
Pigment Black 7:	CI#77226

### 3. HAZARDS IDENTIFICATION

Route of Entry:	Skin, ingestion and inhalation
Target Organs:	None unknown
Inhalation:	Can cause minor respiratory irritation
Skin Contact:	Can cause minor skin irritation.
Eye Contact:	Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue
Ingestion:	No data available

### 4. FIRST AID MEASURES

Inhalation:	Inhalation is unlikely route of exposure for this product. If irritation or other symptoms occur, remove to fresh air. Get medical attention if irritation persists.
-------------	--

# MSDS/ Material Safety Data Sheet

## Millennium Colorworks Inc.

---

**MSDS/Number: NEW**

**Revision Date: 3/22/08**

**Skin Contact:** Wash affected areas with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**Eye Contact:** Flush with plenty of water for 15 minutes, especially under eyelids. Get medical attention if irritation persists.

**Ingestion:** Do not induce vomiting. Consult a physician or poison control Center immediately

### 5. FIRE FIGHTING MEASURES

**Flash Point:** None flammable material

**Flash Point Method:** Fire point calculated >212F (100C)

**Flammability limits:** Not applicable

**Extinguishing Media:** Foam, alcohol foam, CO2, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and a protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

**Hazardous Combustion Products:** Carbon dioxide, carbon monoxide

### 6. ACCIDENTAL RELEASE MEASURES

Contain Spill with material such as dry sand or sawdust. Scoop into appropriate waste Container for disposal

### 7. HANDLING AND STORAGE

**Handling:** Wash thoroughly after handling

**Storage:** Store in moderately cool well ventilated area away from direct heat. Avoid freezing (32F)

# MSDS/ Material Safety Data Sheet

## Millennium Colorworks Inc.

---

MSDS/Number: NEW

Revision Date: 3/22/08

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Control: Local exhaust recommended as well as safety glasses & gloves.  
Exposure Limits: Glycerin 10mg/m<sup>3</sup>(TWA)

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Colored liquid  
Odor: Slight ammonia

### 10. STABILITY AND REACTIVITY

None

### 11. TOXIOLOGICAL INFORMATION

Carcinogenicity: None per OSHA, IARC or NTP  
Mutagenicity: None indicated  
Reproductive Effects: None indicated

### 12. ECOLOGICAL INFORMATION

Environmental Degradation: Slightly toxic to fish

### 13. DISPOSAL CONSIDERATION

Disposal: Incineration or landfilling recommended or as State, Local regulations apply

# MSDS/ Material Safety Data Sheet

## Millennium Colorworks Inc.

---

MSDS/Number: NEW

Revision Date: 3/22/08

---

### 14. TRANSPORTATION INFORMATION

DOT Shipping Name:	Not required
DOT Hazard Class:	None
DOT Label:	None
DOT Placard:	None

### 15. REGULATORY INFORMATION

OSHA: Maybe mildly irritating to the eyes

# MSDS/ Material Safety Data Sheet

## Millennium Colorworks Inc.

---

MSDS/Number: #FGG

Revision Date: 3/22/08

### 1. PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**

Millennium Colorworks Inc.  
68 Cabot Street, Babylon NY 11704  
Contact: Lou Rubino Jr.  
1-800-295-899  
Fax: 631-752-3822  
www.technicaltattoosupply.com

**Product Name:** Forest Gump Green

### 2. COMPOSITION/INFORMATION AND INGREDIENTS

Proprietary Resin:	VO118534A
Water:	C.A.S. # 7732-18-5
Glycerin:	C.A.S. #56-81-5
Green 7:	CI# 74260

### 3. HAZARDS IDENTIFICATION

Route of Entry:	Skin, ingestion and inhalation
Target Organs:	None unknown
Inhalation:	Can cause minor respiratory irritation
Skin Contact:	Can cause minor skin irritation.
Eye Contact:	Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue
Ingestion:	No data available

### 4. FIRST AID MEASURES

Inhalation:	Inhalation is unlikely route of exposure for this product. If irritation or other symptoms occur, remove to fresh air. Get medical attention if irritation persists.
-------------	--

# MSDS/ Material Safety Data Sheet

## Millennium Colorworks Inc.

---

**MSDS/Number: NEW**

**Revision Date: 3/22/08**

**Skin Contact:** Wash affected areas with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**Eye Contact:** Flush with plenty of water for 15 minutes, especially under eyelids. Get medical attention if irritation persists.

**Ingestion:** Do not induce vomiting. Consult a physician or poison control Center immediately

### 5. FIRE FIGHTING MEASURES

**Flash Point:** None flammable material

**Flash Point Method:** Fire point calculated >212F (100C)

**Flammability limits:** Not applicable

**Extinguishing Media:** Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and a protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

**Hazardous Combustion Products:** Carbon dioxide, carbon monoxide

### 6. ACCIDENTAL RELEASE MEASURES

Contain Spill with material such as dry sand or sawdust. Scoop into appropriate waste Container for disposal

### 7. HANDLING AND STORAGE

**Handling:** Wash thoroughly after handling

**Storage:** Store in moderately cool well ventilated area away from direct heat. Avoid freezing (32F)

# MSDS/ Material Safety Data Sheet

## Millennium Colorworks Inc.

---

MSDS/Number: NEW

Revision Date: 3/22/08

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Control: Local exhaust recommended as well as safety glasses & gloves.  
Exposure Limits: Glycerin 10mg/m<sup>3</sup>(TWA)

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Colored liquid  
Odor: Slight ammonia

### 10. STABILITY AND REACTIVITY

None

### 11. TOXIOLOGICAL INFORMATION

Carcinogenicity: None per OSHA, IARC or NTP  
Mutagenicity: None indicated  
Reproductive Effects: None indicated

### 12. ECOLOGICAL INFORMATION

Environmental Degradation: Slightly toxic to fish

### 13. DISPOSAL CONSIDERATION

Disposal: Incineration or landfilling recommended or as State, Local regulations apply

# MSDS/ Material Safety Data Sheet

## Millennium Colorworks Inc.

---

MSDS/Number: NEW

Revision Date: 3/22/08

---

### 14. TRANSPORTATION INFORMATION

DOT Shipping Name:	Not required
DOT Hazard Class:	None
DOT Label:	None
DOT Placard:	None

### 15. REGULATORY INFORMATION

OSHA: Maybe mildly irritating to the eyes



# MSDS/ Material Safety Data Sheet

## Millennium Colorworks Inc.

MSDS/Number: #GG

Revision Date: 3/22/08

### 1. PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**

Millennium Colorworks Inc.  
68 Cabot Street, Babylon NY 11704  
Contact: Lou Rubino Jr.  
1-800-295-899  
Fax: 631-752-3822  
www.technicaltattoosupply.com

**Product Name:** Green Gob

### 2. COMPOSITION/INFORMATION AND INGREDIENTS

Proprietary Resin:	VO118534A
Water:	C.A.S. # 7732-18-5
Glycerin:	C.A.S. #56-81-5
Pigment Yellow 14:	CI# 21095
Pigment White 6:	CI# 77891
Pigment Green 7:	CI#74260
Pigment Blue 15:	CI# 74160

### 3. HAZARDS IDENTIFICATION

Route of Entry:	Skin, ingestion and inhalation
Target Organs:	None unknown
Inhalation:	Can cause minor respiratory irritation
Skin Contact:	Can cause minor skin irritation.
Eye Contact:	Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue
Ingestion:	No data available

### 4. FIRST AID MEASURES

Inhalation:	Inhalation is unlikely route of exposure for this product. If irritation or other symptoms occur, remove to fresh air. Get medical attention if irritation persists.
-------------	--

# MSDS/ Material Safety Data Sheet

## Millennium Colorworks Inc.

---

**MSDS/Number: NEW**

**Revision Date: 3/22/08**

Skin Contact: Wash affected areas with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

Eye Contact: Flush with plenty of water for 15 minutes, especially under eyelids. Get medical attention if irritation persists.

Ingestion: Do not induce vomiting. Consult a physician or poison control Center immediately

### 5. FIRE FIGHTING MEASURES

Flash Point: None flammable material

Flash Point Method: Fire point calculated >212F (100C)

Flammability limits: Not applicable

Extinguishing Media: Foam, alcohol foam, CO2, dry chemical

Special Fire Fighting Procedures: Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and a protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6. ACCIDENTAL RELEASE MEASURES

Contain Spill with material such as dry sand or sawdust. Scoop into appropriate waste Container for disposal

### 7. HANDLING AND STORAGE

Handling: Wash thoroughly after handling

Storage: Store in moderately cool well ventilated area away from direct heat. Avoid freezing (32F)

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Control: Local exhaust recommended as well as safety glasses & gloves.

Exposure Limits: Glycerin 10mg/m3(TWA)

# MSDS/ Material Safety Data Sheet

## Millennium Colorworks Inc.

---

MSDS/Number: NEW

Revision Date: 3/22/08

---

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Colored liquid  
Odor: Slight ammonia

### 10. STABILITY AND REACTIVITY

None

### 11. TOXIOLOGICAL INFORMATION

Carcinogenicity: None per OSHA, IARC or NTP  
Mutagenicity: None indicated  
Reproductive Effects: None indicated

### 12. ECOLOGICAL INFORMATION

Environmental Degradation: Slightly toxic to fish

### 13. DISPOSAL CONSIDERATION

Disposal: Incineration or landfilling recommended or as State, Local regulations apply

### 14. TRANSPORTATION INFORMATION

DOT Shipping Name: Not required  
DOT Hazard Class: None  
DOT Label: None  
DOT Placard: None

# **MSDS/ Material Safety Data Sheet**

## **Millennium Colorworks Inc.**

---

---

**MSDS/Number: NEW**

**Revision Date: 3/22/08**

---

### **15. REGULATORY INFORMATION**

OSHA:                    Maybe mildly irritating to the eyes

# MSDS/ Material Safety Data Sheet

## Millennium Colorworks Inc.

---

MSDS/Number: #GH

Revision Date: 3/22/08

---

### 1. PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**

Millennium Colorworks Inc.  
68 Cabot Street, Babylon NY 11704  
Contact: Lou Rubino Jr.  
1-800-295-899  
Fax: 631-752-3822  
www.technicaltattoosupply.com

**Product Name:** Grey Hound

### 2. COMPOSITION/INFORMATION AND INGREDIENTS

Water:	C.A.S. # 7732-18-5
Glycerin:	C.A.S. #56-81-5
Pigment White 6:	CI# 77891
Carbon Black 7	C.A.S. #1333-86-4

### 3. HAZARDS IDENTIFICATION

Route of Entry:	Skin, ingestion and inhalation
Target Organs:	None unknown
Inhalation:	Can cause minor respiratory irritation
Skin Contact:	Can cause minor skin irritation.
Eye Contact:	Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue
Ingestion:	No data available

### 4. FIRST AID MEASURES

Inhalation:	Inhalation is unlikely route of exposure for this product. If irritation or other symptoms occur, remove to fresh air. Get medical attention if irritation persists.
Skin Contact:	Wash affected areas with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

# MSDS/ Material Safety Data Sheet

## Millennium Colorworks Inc.

---

MSDS/Number: NEW

Revision Date: 3/22/08

---

Eye Contact: Flush with plenty of water for 15 minutes, especially under eyelids.  
Get medical attention if irritation persists.

Ingestion: Do not induce vomiting. Consult a physician or poison control  
Center immediately

### 5. FIRE FIGHTING MEASURES

Flash Point: None flammable material

Flash Point Method: Fire point calculated >212F (100C)

Flammability limits: Not applicable

Extinguishing Media: Foam, alcohol foam, CO<sub>2</sub>, dry chemical

Special Fire Fighting Procedures: Do not enter fire area without proper protection  
including self contained breathing apparatus and  
full protective equipment. Fight fire from a safe  
distance and a protected location due to the  
potential of hazardous vapors and decomposition  
products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6. ACCIDENTAL RELEASE MEASURES

Contain Spill with material such as dry sand or sawdust. Scoop into appropriate waste  
Container for disposal

### 7. HANDLING AND STORAGE

Handling: Wash thoroughly after handling

Storage: Store in moderately cool well ventilated area away from direct  
heat. Avoid freezing (32F)

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Control: Local exhaust recommended as well as safety glasses & gloves.

Exposure Limits: Glycerin 10mg/m<sup>3</sup>(TWA)

# MSDS/ Material Safety Data Sheet

## Millennium Colorworks Inc.

---

MSDS/Number: NEW

Revision Date: 3/22/08

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Colored liquid  
Odor: Slight ammonia

### 10. STABILITY AND REACTIVITY

None

### 11. TOXIOLOGICAL INFORMATION

Carcinogenicity: None per OSHA, IARC or NTP  
Mutagenicity: None indicated  
Reproductive Effects: None indicated

### 12. ECOLOGICAL INFORMATION

Environmental Degradation: Slightly toxic to fish

### 13. DISPOSAL CONSIDERATION

Disposal: Incineration or landfilling recommended or as State, Local regulations apply

### 14. TRANSPORTATION INFORMATION

DOT Shipping Name: Not required  
DOT Hazard Class: None  
DOT Label: None  
DOT Placard: None

# **MSDS/ Material Safety Data Sheet**

## **Millennium Colorworks Inc.**

---

---

**MSDS/Number: NEW**

**Revision Date: 3/22/08**

---

### **15. REGULATORY INFORMATION**

OSHA:                    Maybe mildly irritating to the eyes



# MSDS/ Material Safety Data Sheet

## Millennium Colorworks Inc.

---

MSDS/Number: #HY

Revision Date: 3/22/08

---

### 1. PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**

Millennium Colorworks Inc.  
68 Cabot Street, Babylon NY 11704  
Contact: Lou Rubino Jr.  
1-800-295-899  
Fax: 631-752-3822  
www.technicaltattoosupply.com

**Product Name:** Hello Yellow

### 2. COMPOSITION/INFORMATION AND INGREDIENTS

Proprietary resin: VO118534A  
Water: C.A.S. # 7732-18-5  
Glycerin: C.A.S. #56-81-5  
Yellow pigment 14: CI# 21095  
Pigment white 6: CI# 77891

### 3. HAZARDS IDENTIFICATION

Route of Entry: Skin, ingestion and inhalation  
Target Organs: None unknown  
Inhalation: Can cause minor respiratory irritation  
Skin Contact: Can cause minor skin irritation.  
Eye Contact: Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue  
Ingestion: No data available

### 4. FIRST AID MEASURES

Inhalation: Inhalation is unlikely route of exposure for this product. If irritation or other symptoms occur, remove to fresh air. Get medical attention if irritation persists.

Skin Contact: Wash affected areas with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

# MSDS/ Material Safety Data Sheet

## Millennium Colorworks Inc.

---

MSDS/Number: NEW

Revision Date: 3/22/08

---

Eye Contact: Flush with plenty of water for 15 minutes, especially under eyelids. Get medical attention if irritation persists.

Ingestion: Do not induce vomiting. Consult a physician or poison control Center immediately

### 5. FIRE FIGHTING MEASURES

Flash Point: None flammable material

Flash Point Method: Fire point calculated >212F (100C)

Flammability limits: Not applicable

Extinguishing Media: Foam, alcohol foam, CO<sub>2</sub>, dry chemical

Special Fire Fighting Procedures: Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and a protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6. ACCIDENTAL RELEASE MEASURES

Contain Spill with material such as dry sand or sawdust. Scoop into appropriate waste Container for disposal

### 7. HANDLING AND STORAGE

Handling: Wash thoroughly after handling

Storage: Store in moderately cool well ventilated area away from direct heat. Avoid freezing (32F)

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Control: Local exhaust recommended as well as safety glasses & gloves.

Exposure Limits: Glycerin 10mg/m<sup>3</sup>(TWA)

# MSDS/ Material Safety Data Sheet

## Millennium Colorworks Inc.

---

MSDS/Number: NEW

Revision Date: 3/22/08

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Colored liquid  
Odor: Slight ammonia

### 10. STABILITY AND REACTIVITY

None

### 11. TOXIOLOGICAL INFORMATION

Carcinogenicity: None per OSHA, IARC or NTP  
Mutagenicity: None indicated  
Reproductive Effects: None indicated

### 12. ECOLOGICAL INFORMATION

Environmental Degradation: Slightly toxic to fish

### 13. DISPOSAL CONSIDERATION

Disposal: Incineration or landfilling recommended or as State, Local regulations apply

### 14. TRANSPORTATION INFORMATION

DOT Shipping Name: Not required  
DOT Hazard Class: None  
DOT Label: None  
DOT Placard: None

# **MSDS/ Material Safety Data Sheet**

## **Millennium Colorworks Inc.**

---

---

**MSDS/Number: NEW**

**Revision Date: 3/22/08**

---

### **15. REGULATORY INFORMATION**

OSHA:                    Maybe mildly irritating to the eyes

# MSDS/ Material Safety Data Sheet

## Millennium Colorworks Inc.

---

MSDS/Number: #IC

Revision Date: 3/22/08

---

### 1. PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**

Millennium Colorworks Inc.  
68 Cabot Street, Babylon NY 11704  
Contact: Lou Rubino Jr.  
1-800-295-899  
Fax: 631-752-3822  
www.technicaltattoosupply.com

**Product Name:** Ice Blue

### 2. COMPOSITION/INFORMATION AND INGREDIENTS

Proprietary Resin:	VO118534A
Water:	C.A.S. # 7732-18-5
Glycerin:	C.A.S. #56-81-5
Pigment White 6:	CI# 77891
Pigment Blue 15:	CI# 74160

### 3. HAZARDS IDENTIFICATION

Route of Entry:	Skin, ingestion and inhalation
Target Organs:	None unknown
Inhalation:	Can cause minor respiratory irritation
Skin Contact:	Can cause minor skin irritation.
Eye Contact:	Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue
Ingestion:	No data available

### 4. FIRST AID MEASURES

Inhalation:	Inhalation is unlikely route of exposure for this product. If irritation or other symptoms occur, remove to fresh air. Get medical attention if irritation persists.
Skin Contact:	Wash affected areas with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

# MSDS/ Material Safety Data Sheet

## Millennium Colorworks Inc.

---

MSDS/Number: NEW

Revision Date: 3/22/08

---

Eye Contact: Flush with plenty of water for 15 minutes, especially under eyelids.  
Get medical attention if irritation persists.

Ingestion: Do not induce vomiting. Consult a physician or poison control  
Center immediately

### 5. FIRE FIGHTING MEASURES

Flash Point: None flammable material

Flash Point Method: Fire point calculated >212F (100C)

Flammability limits: Not applicable

Extinguishing Media: Foam, alcohol foam, CO<sub>2</sub>, dry chemical

Special Fire Fighting Procedures: Do not enter fire area without proper protection  
including self contained breathing apparatus and  
full protective equipment. Fight fire from a safe  
distance and a protected location due to the  
potential of hazardous vapors and decomposition  
products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6. ACCIDENTAL RELEASE MEASURES

Contain Spill with material such as dry sand or sawdust. Scoop into appropriate waste  
Container for disposal

### 7. HANDLING AND STORAGE

Handling: Wash thoroughly after handling

Storage: Store in moderately cool well ventilated area away from direct  
heat. Avoid freezing (32F)

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Control: Local exhaust recommended as well as safety glasses & gloves.

Exposure Limits: Glycerin 10mg/m<sup>3</sup>(TWA)

# MSDS/ Material Safety Data Sheet

## Millennium Colorworks Inc.

---

MSDS/Number: NEW

Revision Date: 3/22/08

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Colored liquid  
Odor: Slight ammonia

### 10. STABILITY AND REACTIVITY

None

### 11. TOXIOLOGICAL INFORMATION

Carcinogenicity: None per OSHA, IARC or NTP  
Mutagenicity: None indicated  
Reproductive Effects: None indicated

### 12. ECOLOGICAL INFORMATION

Environmental Degradation: Slightly toxic to fish

### 13. DISPOSAL CONSIDERATION

Disposal: Incineration or landfilling recommended or as State, Local regulations apply

### 14. TRANSPORTATION INFORMATION

DOT Shipping Name: Not required  
DOT Hazard Class: None  
DOT Label: None  
DOT Placard: None

# **MSDS/ Material Safety Data Sheet**

## **Millennium Colorworks Inc.**

---

---

**MSDS/Number: NEW**

**Revision Date: 3/22/08**

---

### **15. REGULATORY INFORMATION**

OSHA:                    Maybe mildly irritating to the eyes



# MSDS/ Material Safety Data Sheet

## Millennium Colorworks Inc.

---

MSDS/Number: #IO

Revision Date: 3/22/08

### 1. PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**

Millennium Colorworks Inc.  
68 Cabot Street, Babylon NY 11704  
Contact: Lou Rubino Jr.  
1-800-295-899  
Fax: 631-752-3822  
www.technicaltattoosupply.com

**Product Name:** Indian Orange

### 2. COMPOSITION/INFORMATION AND INGREDIENTS

Proprietary resin: VO118534A  
Water: C.A.S. # 7732-18-5  
Glycerin: C.A.S. #56-81-5  
Pigment white 6: CI# 77891  
Pigment Orange 16: CI#21160  
Yellow pigment 14: CI# 21095  
Pigment Blue 15: CI# 74160

### 3. HAZARDS IDENTIFICATION

Route of Entry: Skin, ingestion and inhalation  
Target Organs: None unknown  
Inhalation: Can cause minor respiratory irritation  
Skin Contact: Can cause minor skin irritation.  
Eye Contact: Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue  
Ingestion: No data available

### 4. FIRST AID MEASURES

Inhalation: Inhalation is unlikely route of exposure for this product. If irritation or other symptoms occur, remove to fresh air. Get medical attention if irritation persists.

# MSDS/ Material Safety Data Sheet

## Millennium Colorworks Inc.

---

**MSDS/Number: NEW**

**Revision Date: 3/22/08**

Skin Contact: Wash affected areas with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

Eye Contact: Flush with plenty of water for 15 minutes, especially under eyelids. Get medical attention if irritation persists.

Ingestion: Do not induce vomiting. Consult a physician or poison control Center immediately

### 5. FIRE FIGHTING MEASURES

Flash Point: None flammable material

Flash Point Method: Fire point calculated >212F (100C)

Flammability limits: Not applicable

Extinguishing Media: Foam, alcohol foam, CO2, dry chemical

Special Fire Fighting Procedures: Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and a protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6. ACCIDENTAL RELEASE MEASURES

Contain Spill with material such as dry sand or sawdust. Scoop into appropriate waste Container for disposal

### 7. HANDLING AND STORAGE

Handling: Wash thoroughly after handling

Storage: Store in moderately cool well ventilated area away from direct heat. Avoid freezing (32F)

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Control: Local exhaust recommended as well as safety glasses & gloves.

Exposure Limits: Glycerin 10mg/m3(TWA)

# MSDS/ Material Safety Data Sheet

## Millennium Colorworks Inc.

---

MSDS/Number: NEW

Revision Date: 3/22/08

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Colored liquid  
Odor: Slight ammonia

### 10. STABILITY AND REACTIVITY

None

### 11. TOXIOLOGICAL INFORMATION

Carcinogenicity: None per OSHA, IARC or NTP  
Mutagenicity: None indicated  
Reproductive Effects: None indicated

### 12. ECOLOGICAL INFORMATION

Environmental Degradation: Slightly toxic to fish

### 13. DISPOSAL CONSIDERATION

Disposal: Incineration or landfilling recommended or as State, Local regulations apply

### 14. TRANSPORTATION INFORMATION

DOT Shipping Name: Not required  
DOT Hazard Class: None  
DOT Label: None  
DOT Placard: None

# **MSDS/ Material Safety Data Sheet**

## **Millennium Colorworks Inc.**

---

---

**MSDS/Number: NEW**

**Revision Date: 3/22/08**

---

### **15. REGULATORY INFORMATION**

OSHA:                    Maybe mildly irritating to the eyes

# MSDS/ Material Safety Data Sheet

## Millennium Colorworks Inc.

---

MSDS/Number: #KGB

Revision Date: 3/22/08

---

### 1. PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**

Millennium Colorworks Inc.  
68 Cabot Street, Babylon NY 11704  
Contact: Lou Rubino Jr.  
1-800-295-899  
Fax: 631-752-3822  
www.technicaltattoosupply.com

**Product Name:** Kentucky Blue Grass

### 2. COMPOSITION/INFORMATION AND INGREDIENTS

Proprietary Resin:	VO118534A
Water:	C.A.S. # 7732-18-5
Glycerin:	C.A.S. #56-81-5
Pigment White 6:	CI# 77891
Pigment Blue 15:	CI# 74160
Pigment Green:	CI# 74260

### 3. HAZARDS IDENTIFICATION

Route of Entry:	Skin, ingestion and inhalation
Target Organs:	None unknown
Inhalation:	Can cause minor respiratory irritation
Skin Contact:	Can cause minor skin irritation.
Eye Contact:	Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue
Ingestion:	No data available

### 4. FIRST AID MEASURES

Inhalation:	Inhalation is unlikely route of exposure for this product. If irritation or other symptoms occur, remove to fresh air. Get medical attention if irritation persists.
-------------	--

# MSDS/ Material Safety Data Sheet

## Millennium Colorworks Inc.

---

**MSDS/Number: NEW**

**Revision Date: 3/22/08**

---

**Skin Contact:** Wash affected areas with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**Eye Contact:** Flush with plenty of water for 15 minutes, especially under eyelids. Get medical attention if irritation persists.

**Ingestion:** Do not induce vomiting. Consult a physician or poison control Center immediately

### **5. FIRE FIGHTING MEASURES**

**Flash Point:** None flammable material

**Flash Point Method:** Fire point calculated >212F (100C)

**Flammability limits:** Not applicable

**Extinguishing Media:** Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and a protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

**Hazardous Combustion Products:** Carbon dioxide, carbon monoxide

### **6. ACCIDENTAL RELEASE MEASURES**

Contain Spill with material such as dry sand or sawdust. Scoop into appropriate waste Container for disposal

### **7. HANDLING AND STORAGE**

**Handling:** Wash thoroughly after handling

**Storage:** Store in moderately cool well ventilated area away from direct heat. Avoid freezing (32F)

# MSDS/ Material Safety Data Sheet

## Millennium Colorworks Inc.

---

MSDS/Number: NEW

Revision Date: 3/22/08

---

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Control: Local exhaust recommended as well as safety glasses & gloves.  
Exposure Limits: Glycerin 10mg/m<sup>3</sup>(TWA)

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Colored liquid  
Odor: Slight ammonia

### 10. STABILITY AND REACTIVITY

None

### 11. TOXIOLOGICAL INFORMATION

Carcinogenicity: None per OSHA, IARC or NTP  
Mutagenicity: None indicated  
Reproductive Effects: None indicated

### 12. ECOLOGICAL INFORMATION

Environmental Degradation: Slightly toxic to fish

### 13. DISPOSAL CONSIDERATION

Disposal: Incineration or landfilling recommended or as State, Local regulations apply

# MSDS/ Material Safety Data Sheet

## Millennium Colorworks Inc.

---

MSDS/Number: NEW

Revision Date: 3/22/08

---

### 14. TRANSPORTATION INFORMATION

DOT Shipping Name: Not required  
DOT Hazard Class: None  
DOT Label: None  
DOT Placard: None

### 15. REGULATORY INFORMATION

OSHA: Maybe mildly irritating to the eyes



# MSDS/ Material Safety Data Sheet

## Millennium Colorworks Inc

---

MSDS/Number: #LL

Revision Date: 3/22/08

---

### 1. PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**

Millennium Colorworks Inc.  
68 Cabot Street, Babylon NY 11704  
Contact: Lou Rubino Jr.  
1-800-295-899  
Fax: 631-752-3822  
www.technicaltattoosupply.com

**Product Name:** Luscious Lavender

### 2. COMPOSITION/INFORMATION AND INGREDIENTS

Proprietary Resin:	VO118534A
Water:	C.A.S. # 7732-18-5
Glycerin:	C.A.S. #56-81-5
Pigment White 6:	CI# 77891
Pigment Violet 23:	CI# 51319

### 3. HAZARDS IDENTIFICATION

Route of Entry:	Skin, ingestion and inhalation
Target Organs:	None unknown
Inhalation:	Can cause minor respiratory irritation
Skin Contact:	Can cause minor skin irritation.
Eye Contact:	Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue
Ingestion:	No data available

### 4. FIRST AID MEASURES

Inhalation:	Inhalation is unlikely route of exposure for this product. If irritation or other symptoms occur, remove to fresh air. Get medical attention if irritation persists.
Skin Contact:	Wash affected areas with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

# MSDS/ Material Safety Data Sheet

## Millennium Colorworks Inc.

---

MSDS/Number: NEW

Revision Date: 3/22/08

---

Eye Contact: Flush with plenty of water for 15 minutes, especially under eyelids.  
Get medical attention if irritation persists.

Ingestion: Do not induce vomiting. Consult a physician or poison control  
Center immediately

### 5. FIRE FIGHTING MEASURES

Flash Point: None flammable material

Flash Point Method: Fire point calculated >212F (100C)

Flammability limits: Not applicable

Extinguishing Media: Foam, alcohol foam, CO<sub>2</sub>, dry chemical

Special Fire Fighting Procedures: Do not enter fire area without proper protection  
including self contained breathing apparatus and  
full protective equipment. Fight fire from a safe  
distance and a protected location due to the  
potential of hazardous vapors and decomposition  
products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6. ACCIDENTAL RELEASE MEASURES

Contain Spill with material such as dry sand or sawdust. Scoop into appropriate waste  
Container for disposal

### 7. HANDLING AND STORAGE

Handling: Wash thoroughly after handling

Storage: Store in moderately cool well ventilated area away from direct  
heat. Avoid freezing (32F)

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Control: Local exhaust recommended as well as safety glasses & gloves.

Exposure Limits: Glycerin 10mg/m<sup>3</sup>(TWA)

# MSDS/ Material Safety Data Sheet

## Millennium Colorworks Inc.

---

MSDS/Number: NEW

Revision Date: 3/22/08

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Colored liquid  
Odor: Slight ammonia

### 10. STABILITY AND REACTIVITY

None

### 11. TOXIOLOGICAL INFORMATION

Carcinogenicity: None per OSHA, IARC or NTP  
Mutagenicity: None indicated  
Reproductive Effects: None indicated

### 12. ECOLOGICAL INFORMATION

Environmental Degradation: Slightly toxic to fish

### 13. DISPOSAL CONSIDERATION

Disposal: Incineration or landfilling recommended or as State, Local regulations apply

### 14. TRANSPORTATION INFORMATION

DOT Shipping Name: Not required  
DOT Hazard Class: None  
DOT Label: None  
DOT Placard: None

# **MSDS/ Material Safety Data Sheet**

## **Millennium Colorworks Inc.**

---

---

**MSDS/Number: NEW**

**Revision Date: 3/22/08**

---

### **15. REGULATORY INFORMATION**

OSHA:                    Maybe mildly irritating to the eyes

# MSDS/ Material Safety Data Sheet

## Millennium Colorworks Ink

---

MSDS/Number: #MGM

Revision Date: 3/22/08

### 1. PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**

Millennium Colorworks Inc.  
68 Cabot Street, Babylon NY 11704  
Contact: Lou Rubino Jr.  
1-800-295-899  
Fax: 631-752-3822  
www.technicaltattoosupply.com

**Product Name:** Magic Magenta

### 2. COMPOSITION/INFORMATION AND INGREDIENTS

Proprietary Resin:	VO118534A
Water:	C.A.S. # 7732-18-5
Glycerin:	C.A.S. #56-81-5
Pigment Red 122:	CI# 73915
Pigment White 6:	CI# 77891

### 3. HAZARDS IDENTIFICATION

Route of Entry:	Skin, ingestion and inhalation
Target Organs:	None unknown
Inhalation:	Can cause minor respiratory irritation
Skin Contact:	Can cause minor skin irritation.
Eye Contact:	Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue
Ingestion:	No data available

### 4. FIRST AID MEASURES

Inhalation:	Inhalation is unlikely route of exposure for this product. If irritation or other symptoms occur, remove to fresh air. Get medical attention if irritation persists.
Skin Contact:	Wash affected areas with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

# MSDS/ Material Safety Data Sheet

## Millennium Colorworks Inc.

---

MSDS/Number: NEW

Revision Date: 3/22/08

---

Eye Contact: Flush with plenty of water for 15 minutes, especially under eyelids.  
Get medical attention if irritation persists.

Ingestion: Do not induce vomiting. Consult a physician or poison control  
Center immediately

### 5. FIRE FIGHTING MEASURES

Flash Point: None flammable material

Flash Point Method: Fire point calculated >212F (100C)

Flammability limits: Not applicable

Extinguishing Media: Foam, alcohol foam, CO<sub>2</sub>, dry chemical

Special Fire Fighting Procedures: Do not enter fire area without proper protection  
including self contained breathing apparatus and  
full protective equipment. Fight fire from a safe  
distance and a protected location due to the  
potential of hazardous vapors and decomposition  
products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6. ACCIDENTAL RELEASE MEASURES

Contain Spill with material such as dry sand or sawdust. Scoop into appropriate waste  
Container for disposal

### 7. HANDLING AND STORAGE

Handling: Wash thoroughly after handling

Storage: Store in moderately cool well ventilated area away from direct  
heat. Avoid freezing (32F)

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Control: Local exhaust recommended as well as safety glasses & gloves.

Exposure Limits: Glycerin 10mg/m<sup>3</sup>(TWA)

# MSDS/ Material Safety Data Sheet

## Millennium Colorworks Inc.

---

MSDS/Number: NEW

Revision Date: 3/22/08

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Colored liquid  
Odor: Slight ammonia

### 10. STABILITY AND REACTIVITY

None

### 11. TOXIOLOGICAL INFORMATION

Carcinogenicity: None per OSHA, IARC or NTP  
Mutagenicity: None indicated  
Reproductive Effects: None indicated

### 12. ECOLOGICAL INFORMATION

Environmental Degradation: Slightly toxic to fish

### 13. DISPOSAL CONSIDERATION

Disposal: Incineration or landfilling recommended or as State, Local regulations apply

### 14. TRANSPORTATION INFORMATION

DOT Shipping Name: Not required  
DOT Hazard Class: None  
DOT Label: None  
DOT Placard: None

# **MSDS/ Material Safety Data Sheet**

## **Millennium Colorworks Inc.**

---

---

**MSDS/Number: NEW**

**Revision Date: 3/22/08**

---

### **15. REGULATORY INFORMATION**

OSHA:                    Maybe mildly irritating to the eyes



# MSDS/ Material Safety Data Sheet

## Millennium Colorworks Inc.

MSDS/Number: # MNG

Revision Date: 3/22/08

### 1. PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**

Millennium Colorworks Inc.  
68 Cabot Street, Babylon NY 11704  
Contact: Lou Rubino Jr.  
1-800-295-899  
Fax: 631-752-3822  
www.technicaltattoosupply.com

**Product Name:** Marine Green

### 2. COMPOSITION/INFORMATION AND INGREDIENTS

Proprietary Resin:	VO118534A
Water:	C.A.S. # 7732-18-5
Glycerin:	C.A.S. #56-81-5
Pigment Yellow 14:	CI# 21095
Pigment White 6:	CI# 77891
Pigment Orange 16:	CI# 21160

### 3. HAZARDS IDENTIFICATION

Route of Entry:	Skin, ingestion and inhalation
Target Organs:	None unknown
Inhalation:	Can cause minor respiratory irritation
Skin Contact:	Can cause minor skin irritation.
Eye Contact:	Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue
Ingestion:	No data available

### 4. FIRST AID MEASURES

Inhalation:	Inhalation is unlikely route of exposure for this product. If irritation or other symptoms occur, remove to fresh air. Get medical attention if irritation persists.
Skin Contact:	Wash affected areas with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

# MSDS/ Material Safety Data Sheet

## Millennium Colorworks Inc.

---

**MSDS/Number:**

**Revision Date: 3/22/08**

---

Eye Contact: Flush with plenty of water for 15 minutes, especially under eyelids.  
Get medical attention if irritation persists.

Ingestion: Do not induce vomiting. Consult a physician or poison control  
Center immediately

### 5. FIRE FIGHTING MEASURES

Flash Point: None flammable material

Flash Point Method: Fire point calculated >212F (100C)

Flammability limits: Not applicable

Extinguishing Media: Foam, alcohol foam, CO<sub>2</sub>, dry chemical

Special Fire Fighting Procedures: Do not enter fire area without proper protection  
including self contained breathing apparatus and  
full protective equipment. Fight fire from a safe  
distance and a protected location due to the  
potential of hazardous vapors and decomposition  
products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6. ACCIDENTAL RELEASE MEASURES

Contain Spill with material such as dry sand or sawdust. Scoop into appropriate waste  
Container for disposal

### 7. HANDLING AND STORAGE

Handling: Wash thoroughly after handling

Storage: Store in moderately cool well ventilated area away from direct  
heat. Avoid freezing (32F)

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Control: Local exhaust recommended as well as safety glasses & gloves.

Exposure Limits: Glycerin 10mg/m<sup>3</sup>(TWA)

# MSDS/ Material Safety Data Sheet

## Millennium Colorworks Inc.

---

MSDS/Number: NEW

Revision Date: 3/22/08

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Colored liquid  
Odor: Slight ammonia

### 10. STABILITY AND REACTIVITY

None

### 11. TOXIOLOGICAL INFORMATION

Carcinogenicity: None per OSHA, IARC or NTP  
Mutagenicity: None indicated  
Reproductive Effects: None indicated

### 12. ECOLOGICAL INFORMATION

Environmental Degradation: Slightly toxic to fish

### 13. DISPOSAL CONSIDERATION

Disposal: Incineration or landfilling recommended or as State, Local regulations apply

### 14. TRANSPORTATION INFORMATION

DOT Shipping Name: Not required  
DOT Hazard Class: None  
DOT Label: None  
DOT Placard: None

# **MSDS/ Material Safety Data Sheet**

## **Millennium Colorworks Inc.**

---

---

**MSDS/Number: NEW**

**Revision Date: 3/22/08**

---

### **15. REGULATORY INFORMATION**

OSHA:                    Maybe mildly irritating to the eyes

# MSDS/ Material Safety Data Sheet

## Millennium Colorworks Ink

---

MSDS/Number: #MRM

Revision Date: 3/22/08

### 1. PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**

Millennium Colorworks Inc.  
68 Cabot Street, Babylon NY 11704  
Contact: Lou Rubino Jr.  
1-800-295-899  
Fax: 631-752-3822  
www.technicaltattoosupply.com

**Product Name:** Marvelous Magenta

### 2. COMPOSITION/INFORMATION AND INGREDIENTS

Proprietary Resin:	VO118534A
Water:	C.A.S. # 7732-18-5
Glycerin:	C.A.S. #56-81-5
Pigment White 6:	CI# 77891
Pigment Red 122:	CI# 73915

### 3. HAZARDS IDENTIFICATION

Route of Entry:	Skin, ingestion and inhalation
Target Organs:	None unknown
Inhalation:	Can cause minor respiratory irritation
Skin Contact:	Can cause minor skin irritation.
Eye Contact:	Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue
Ingestion:	No data available

### 4. FIRST AID MEASURES

Inhalation:	Inhalation is unlikely route of exposure for this product. If irritation or other symptoms occur, remove to fresh air. Get medical attention if irritation persists.
Skin Contact:	Wash affected areas with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

# MSDS/ Material Safety Data Sheet

## Millennium Colorworks Inc.

---

MSDS/Number: NEW

Revision Date: 3/22/08

---

Eye Contact: Flush with plenty of water for 15 minutes, especially under eyelids. Get medical attention if irritation persists.

Ingestion: Do not induce vomiting. Consult a physician or poison control Center immediately

### 5. FIRE FIGHTING MEASURES

Flash Point: None flammable material

Flash Point Method: Fire point calculated >212F (100C)

Flammability limits: Not applicable

Extinguishing Media: Foam, alcohol foam, CO2, dry chemical

Special Fire Fighting Procedures: Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and a protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6. ACCIDENTAL RELEASE MEASURES

Contain Spill with material such as dry sand or sawdust. Scoop into appropriate waste Container for disposal

### 7. HANDLING AND STORAGE

Handling: Wash thoroughly after handling

Storage: Store in moderately cool well ventilated area away from direct heat. Avoid freezing (32F)

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Control: Local exhaust recommended as well as safety glasses & gloves.

Exposure Limits: Glycerin 10mg/m3(TWA)

# MSDS/ Material Safety Data Sheet

## Millennium Colorworks Inc.

---

MSDS/Number: NEW

Revision Date: 3/22/08

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Colored liquid  
Odor: Slight ammonia

### 10. STABILITY AND REACTIVITY

None

### 11. TOXIOLOGICAL INFORMATION

Carcinogenicity: None per OSHA, IARC or NTP  
Mutagenicity: None indicated  
Reproductive Effects: None indicated

### 12. ECOLOGICAL INFORMATION

Environmental Degradation: Slightly toxic to fish

### 13. DISPOSAL CONSIDERATION

Disposal: Incineration or landfilling recommended or as State, Local regulations apply

### 14. TRANSPORTATION INFORMATION

DOT Shipping Name: Not required  
DOT Hazard Class: None  
DOT Label: None  
DOT Placard: None

# **MSDS/ Material Safety Data Sheet**

## **Millennium Colorworks Inc.**

---

---

**MSDS/Number: NEW**

**Revision Date: 3/22/08**

---

### **15. REGULATORY INFORMATION**

OSHA:                    Maybe mildly irritating to the eyes



# MSDS/ Material Safety Data Sheet

## Millennium Colorworks Inc.

---

MSDS/Number: #MG

Revision Date: 3/22/08

---

### 1. PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**

Millennium Colorworks Inc.  
68 Cabot Street, Babylon NY 11704  
Contact: Lou Rubino Jr.  
1-800-295-899  
Fax: 631-752-3822  
www.technicaltattoosupply.com

**Product Name:** Mean Green

### 2. COMPOSITION/INFORMATION AND INGREDIENTS

Proprietary Resin:	VO118534A
Water:	C.A.S. # 7732-18-5
Glycerin:	C.A.S. #56-81-5
Pigment Green 7:	CI#74260
Pigment White 6:	CI# 77891
Yellow Pigment 14:	CI#21095
Pigment Black 7:	CI# 77226

### 3. HAZARDS IDENTIFICATION

Route of Entry:	Skin, ingestion and inhalation
Target Organs:	None unknown
Inhalation:	Can cause minor respiratory irritation
Skin Contact:	Can cause minor skin irritation.
Eye Contact:	Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue
Ingestion:	No data available

### 4. FIRST AID MEASURES

Inhalation:	Inhalation is unlikely route of exposure for this product. If irritation or other symptoms occur, remove to fresh air. Get medical attention if irritation persists.
-------------	--

# MSDS/ Material Safety Data Sheet

## Millennium Colorworks Inc.

---

MSDS/Number: NEW

Revision Date: 3/22/08

---

Skin Contact: Wash affected areas with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

Eye Contact: Flush with plenty of water for 15 minutes, especially under eyelids. Get medical attention if irritation persists.

Ingestion: Do not induce vomiting. Consult a physician or poison control Center immediately

### 5. FIRE FIGHTING MEASURES

Flash Point: None flammable material

Flash Point Method: Fire point calculated >212F (100C)

Flammability limits: Not applicable

Extinguishing Media: Foam, alcohol foam, CO2, dry chemical

Special Fire Fighting Procedures: Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and a protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6. ACCIDENTAL RELEASE MEASURES

Contain Spill with material such as dry sand or sawdust. Scoop into appropriate waste Container for disposal

### 7. HANDLING AND STORAGE

Handling: Wash thoroughly after handling

Storage: Store in moderately cool well ventilated area away from direct heat. Avoid freezing (32F)

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Control: Local exhaust recommended as well as safety glasses & gloves.

Exposure Limits: Glycerin 10mg/m3(TWA)

# MSDS/ Material Safety Data Sheet

## Millennium Colorworks Inc.

---

MSDS/Number: NEW

Revision Date: 3/22/08

---

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Colored liquid  
Odor: Slight ammonia

### 10. STABILITY AND REACTIVITY

None

### 11. TOXIOLOGICAL INFORMATION

Carcinogenicity: None per OSHA, IARC or NTP  
Mutagenicity: None indicated  
Reproductive Effects: None indicated

### 12. ECOLOGICAL INFORMATION

Environmental Degradation: Slightly toxic to fish

### 13. DISPOSAL CONSIDERATION

Disposal: Incineration or landfilling recommended or as State, Local regulations apply

### 14. TRANSPORTATION INFORMATION

DOT Shipping Name: Not required  
DOT Hazard Class: None  
DOT Label: None  
DOT Placard: None

# **MSDS/ Material Safety Data Sheet**

## **Millennium Colorworks Inc.**

---

---

**MSDS/Number: NEW**

**Revision Date: 3/22/08**

---

### **15. REGULATORY INFORMATION**

OSHA:                    Maybe mildly irritating to the eyes

# MSDS/ Material Safety Data Sheet

## Millennium Colorworks Inc.

---

MSDS/Number: #MMG

Revision Date: 3/22/08

---

### 1. PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**

Millennium Colorworks Inc.  
68 Cabot Street, Babylon NY 11704  
Contact: Lou Rubino Jr.  
1-800-295-899  
Fax: 631-752-3822  
www.technicaltattoosupply.com

**Product Name:** Mo Money Green

### 2. COMPOSITION/INFORMATION AND INGREDIENTS

Proprietary Resin:	VO118534A
Water:	C.A.S. # 7732-18-5
Glycerin:	C.A.S. #56-81-5
Green 7:	CI# 74260
Pigment White 6:	CI# 77891

### 3. HAZARDS IDENTIFICATION

Route of Entry:	Skin, ingestion and inhalation
Target Organs:	None unknown
Inhalation:	Can cause minor respiratory irritation
Skin Contact:	Can cause minor skin irritation.
Eye Contact:	Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue
Ingestion:	No data available

### 4. FIRST AID MEASURES

Inhalation:	Inhalation is unlikely route of exposure for this product. If irritation or other symptoms occur, remove to fresh air. Get medical attention if irritation persists.
-------------	--

# MSDS/ Material Safety Data Sheet

## Millennium Colorworks Inc.

---

**MSDS/Number: NEW**

**Revision Date: 3/22/08**

**Skin Contact:** Wash affected areas with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**Eye Contact:** Flush with plenty of water for 15 minutes, especially under eyelids. Get medical attention if irritation persists.

**Ingestion:** Do not induce vomiting. Consult a physician or poison control Center immediately

### 5. FIRE FIGHTING MEASURES

**Flash Point:** None flammable material

**Flash Point Method:** Fire point calculated >212F (100C)

**Flammability limits:** Not applicable

**Extinguishing Media:** Foam, alcohol foam, CO2, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and a protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

**Hazardous Combustion Products:** Carbon dioxide, carbon monoxide

### 6. ACCIDENTAL RELEASE MEASURES

Contain Spill with material such as dry sand or sawdust. Scoop into appropriate waste Container for disposal

### 7. HANDLING AND STORAGE

**Handling:** Wash thoroughly after handling

**Storage:** Store in moderately cool well ventilated area away from direct heat. Avoid freezing (32F)

# MSDS/ Material Safety Data Sheet

## Millennium Colorworks Inc.

---

MSDS/Number: NEW

Revision Date: 3/22/08

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Control: Local exhaust recommended as well as safety glasses & gloves.  
Exposure Limits: Glycerin 10mg/m<sup>3</sup>(TWA)

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Colored liquid  
Odor: Slight ammonia

### 10. STABILITY AND REACTIVITY

None

### 11. TOXIOLOGICAL INFORMATION

Carcinogenicity: None per OSHA, IARC or NTP  
Mutagenicity: None indicated  
Reproductive Effects: None indicated

### 12. ECOLOGICAL INFORMATION

Environmental Degradation: Slightly toxic to fish

### 13. DISPOSAL CONSIDERATION

Disposal: Incineration or landfilling recommended or as State, Local regulations apply

# MSDS/ Material Safety Data Sheet

## Millennium Colorworks Inc.

---

MSDS/Number: NEW

Revision Date: 3/22/08

---

### 14. TRANSPORTATION INFORMATION

DOT Shipping Name:	Not required
DOT Hazard Class:	None
DOT Label:	None
DOT Placard:	None

### 15. REGULATORY INFORMATION

OSHA: Maybe mildly irritating to the eyes



# MSDS/ Material Safety Data Sheet

## Millennium Colorworks Inc.

---

MSDS/Number: #MR

Revision Date: 3/22/08

### 1. PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**  
Millennium Colorworks Inc.  
68 Cabot Street, Babylon NY 11704  
Contact: Lou Rubino Jr.  
1-800-295-899  
Fax: 631-752-3822  
www.technicaltattoosupply.com

**Product Name:** Monthly Red

### 2. COMPOSITION/INFORMATION AND INGREDIENTS

Proprietary Resin:	VO118534A
Water:	C.A.S. # 7732-18-5
Glycerin:	C.A.S. #56-81-5
Pigment Red 170:	CI# 12475

### 3. HAZARDS IDENTIFICATION

Route of Entry:	Skin, ingestion and inhalation
Target Organs:	None unknown
Inhalation:	Can cause minor respiratory irritation
Skin Contact:	Can cause minor skin irritation.
Eye Contact:	Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue
Ingestion:	No data available

### 4. FIRST AID MEASURES

Inhalation:	Inhalation is unlikely route of exposure for this product. If irritation or other symptoms occur, remove to fresh air. Get medical attention if irritation persists.
Skin Contact:	Wash affected areas with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

# MSDS/ Material Safety Data Sheet

## Millennium Colorworks Inc.

---

MSDS/Number: NEW

Revision Date: 3/22/08

---

Eye Contact: Flush with plenty of water for 15 minutes, especially under eyelids.  
Get medical attention if irritation persists.

Ingestion: Do not induce vomiting. Consult a physician or poison control  
Center immediately

### 5. FIRE FIGHTING MEASURES

Flash Point: None flammable material

Flash Point Method: Fire point calculated >212F (100C)

Flammability limits: Not applicable

Extinguishing Media: Foam, alcohol foam, CO2, dry chemical

Special Fire Fighting Procedures: Do not enter fire area without proper protection  
including self contained breathing apparatus and  
full protective equipment. Fight fire from a safe  
distance and a protected location due to the  
potential of hazardous vapors and decomposition  
products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6. ACCIDENTAL RELEASE MEASURES

Contain Spill with material such as dry sand or sawdust. Scoop into appropriate waste  
Container for disposal

### 7. HANDLING AND STORAGE

Handling: Wash thoroughly after handling

Storage: Store in moderately cool well ventilated area away from direct  
heat. Avoid freezing (32F)

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Control: Local exhaust recommended as well as safety glasses & gloves.

Exposure Limits: Glycerin 10mg/m3(TWA)

# MSDS/ Material Safety Data Sheet

## Millennium Colorworks Inc.

---

MSDS/Number: NEW

Revision Date: 3/22/08

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Colored liquid  
Odor: Slight ammonia

### 10. STABILITY AND REACTIVITY

None

### 11. TOXIOLOGICAL INFORMATION

Carcinogenicity: None per OSHA, IARC or NTP  
Mutagenicity: None indicated  
Reproductive Effects: None indicated

### 12. ECOLOGICAL INFORMATION

Environmental Degradation: Slightly toxic to fish

### 13. DISPOSAL CONSIDERATION

Disposal: Incineration or landfilling recommended or as State, Local regulations apply

### 14. TRANSPORTATION INFORMATION

DOT Shipping Name: Not required  
DOT Hazard Class: None  
DOT Label: None  
DOT Placard: None

# **MSDS/ Material Safety Data Sheet**

## **Millennium Colorworks Inc.**

---

---

**MSDS/Number: NEW**

**Revision Date: 3/22/08**

---

### **15. REGULATORY INFORMATION**

OSHA:                    Maybe mildly irritating to the eyes

# MSDS/ Material Safety Data Sheet

## Millennium Colorworks Inc.

---

MSDS/Number: #OBE

Revision Date: 3/22/08

---

### 1. PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**

Millennium Colorworks Inc.  
68 Cabot Street, Babylon NY 11704  
Contact: Lou Rubino Jr.  
1-800-295-899  
Fax: 631-752-3822  
www.technicaltattoosupply.com

**Product Name:** Ole' Blue Eyes

### 2. COMPOSITION/INFORMATION AND INGREDIENTS

Proprietary Resin:	VO118534A
Water:	C.A.S. # 7732-18-5
Glycerin:	C.A.S. #56-81-5
Pigment Blue 15:	CI# 74160
Pigment White 6:	CI# 77891
Pigment Green 7:	CI# 74260

### 3. HAZARDS IDENTIFICATION

Route of Entry:	Skin, ingestion and inhalation
Target Organs:	None unknown
Inhalation:	Can cause minor respiratory irritation
Skin Contact:	Can cause minor skin irritation.
Eye Contact:	Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue
Ingestion:	No data available

### 4. FIRST AID MEASURES

Inhalation:	Inhalation is unlikely route of exposure for this product. If irritation or other symptoms occur, remove to fresh air. Get medical attention if irritation persists.
Skin Contact:	Wash affected areas with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

# MSDS/ Material Safety Data Sheet

## Millennium Colorworks Inc.

---

MSDS/Number: NEW

Revision Date: 3/22/08

---

Eye Contact: Flush with plenty of water for 15 minutes, especially under eyelids.  
Get medical attention if irritation persists.

Ingestion: Do not induce vomiting. Consult a physician or poison control  
Center immediately

### 5. FIRE FIGHTING MEASURES

Flash Point: None flammable material

Flash Point Method: Fire point calculated >212F (100C)

Flammability limits: Not applicable

Extinguishing Media: Foam, alcohol foam, CO<sub>2</sub>, dry chemical

Special Fire Fighting Procedures: Do not enter fire area without proper protection  
including self contained breathing apparatus and  
full protective equipment. Fight fire from a safe  
distance and a protected location due to the  
potential of hazardous vapors and decomposition  
products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6. ACCIDENTAL RELEASE MEASURES

Contain Spill with material such as dry sand or sawdust. Scoop into appropriate waste  
Container for disposal

### 7. HANDLING AND STORAGE

Handling: Wash thoroughly after handling

Storage: Store in moderately cool well ventilated area away from direct  
heat. Avoid freezing (32F)

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Control: Local exhaust recommended as well as safety glasses & gloves.

Exposure Limits: Glycerin 10mg/m<sup>3</sup>(TWA)

# MSDS/ Material Safety Data Sheet

## Millennium Colorworks Inc.

---

MSDS/Number: NEW

Revision Date: 3/22/08

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Colored liquid  
Odor: Slight ammonia

### 10. STABILITY AND REACTIVITY

None

### 11. TOXIOLOGICAL INFORMATION

Carcinogenicity: None per OSHA, IARC or NTP  
Mutagenicity: None indicated  
Reproductive Effects: None indicated

### 12. ECOLOGICAL INFORMATION

Environmental Degradation: Slightly toxic to fish

### 13. DISPOSAL CONSIDERATION

Disposal: Incineration or landfilling recommended or as State, Local regulations apply

### 14. TRANSPORTATION INFORMATION

DOT Shipping Name: Not required  
DOT Hazard Class: None  
DOT Label: None  
DOT Placard: None

# **MSDS/ Material Safety Data Sheet**

## **Millennium Colorworks Inc.**

---

---

**MSDS/Number: NEW**

**Revision Date: 3/22/08**

---

### **15. REGULATORY INFORMATION**

OSHA:                    Maybe mildly irritating to the eyes



# MSDS/ Material Safety Data Sheet

## Millennium Colorworks Inc.

---

MSDS/Number: #PK

Revision Date: 3/22/08

---

### 1. PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**

Millennium Colorworks Inc.  
68 Cabot Street, Babylon NY 11704  
Contact: Lou Rubino Jr.  
1-800-295-899  
Fax: 631-752-3822  
www.technicaltattoosupply.com

**Product Name:** Peachie Keen

### 2. COMPOSITION/INFORMATION AND INGREDIENTS

Proprietary Resin:	VO118534A
Water:	C.A.S. # 7732-18-5
Glycerin:	C.A.S. #56-81-5
Pigment White 6:	CI# 77891
Pigment Orange 16:	CI# 21160
Pigment Red 170:	CI#12475

### 3. HAZARDS IDENTIFICATION

Route of Entry:	Skin, ingestion and inhalation
Target Organs:	None unknown
Inhalation:	Can cause minor respiratory irritation
Skin Contact:	Can cause minor skin irritation.
Eye Contact:	Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue
Ingestion:	No data available

### 4. FIRST AID MEASURES

Inhalation:	Inhalation is unlikely route of exposure for this product. If irritation or other symptoms occur, remove to fresh air. Get medical attention if irritation persists.
-------------	--

# MSDS/ Material Safety Data Sheet

## Millennium Colorworks Inc.

---

**MSDS/Number: NEW**

**Revision Date: 3/22/08**

Skin Contact: Wash affected areas with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

Eye Contact: Flush with plenty of water for 15 minutes, especially under eyelids. Get medical attention if irritation persists.

Ingestion: Do not induce vomiting. Consult a physician or poison control Center immediately

### 5. FIRE FIGHTING MEASURES

Flash Point: None flammable material  
Flash Point Method: Fire point calculated >212F (100C)  
Flammability limits: Not applicable  
Extinguishing Media: Foam, alcohol foam, CO2, dry chemical  
Special Fire Fighting Procedures: Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and a protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6. ACCIDENTAL RELEASE MEASURES

Contain Spill with material such as dry sand or sawdust. Scoop into appropriate waste Container for disposal

### 7. HANDLING AND STORAGE

Handling: Wash thoroughly after handling  
Storage: Store in moderately cool well ventilated area away from direct heat. Avoid freezing (32F)

# MSDS/ Material Safety Data Sheet

## Millennium Colorworks Inc.

---

MSDS/Number: NEW

Revision Date: 3/22/08

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Control: Local exhaust recommended as well as safety glasses & gloves.  
Exposure Limits: Glycerin 10mg/m<sup>3</sup>(TWA)

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Colored liquid  
Odor: Slight ammonia

### 10. STABILITY AND REACTIVITY

None

### 11. TOXIOLOGICAL INFORMATION

Carcinogenicity: None per OSHA, IARC or NTP  
Mutagenicity: None indicated  
Reproductive Effects: None indicated

### 12. ECOLOGICAL INFORMATION

Environmental Degradation: Slightly toxic to fish

### 13. DISPOSAL CONSIDERATION

Disposal: Incineration or landfilling recommended or as State, Local regulations apply

# MSDS/ Material Safety Data Sheet

## Millennium Colorworks Inc.

---

MSDS/Number: NEW

Revision Date: 3/22/08

---

### 14. TRANSPORTATION INFORMATION

DOT Shipping Name:	Not required
DOT Hazard Class:	None
DOT Label:	None
DOT Placard:	None

### 15. REGULATORY INFORMATION

OSHA: Maybe mildly irritating to the eyes

# MSDS/ Material Safety Data Sheet

## Millennium Colorworks Inc.

---

MSDS/Number: #PPC

Revision Date: 3/22/08

### 1. PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**  
Millennium Colorworks Inc.  
68 Cabot Street, Babylon NY 11704  
Contact: Lou Rubino Jr.  
1-800-295-899  
Fax: 631-752-3822  
www.technicaltattoosupply.com

**Product Name:** Pink Pussy Cat

### 2. COMPOSITION/INFORMATION AND INGREDIENTS

Proprietary Resin:	VO118534A
Water:	C.A.S. # 7732-18-5
Glycerin:	C.A.S. #56-81-5
Pigment Red 170:	CI#12475
Pigment Red 269:	CI# 12466
Pigment White 6:	CI# 77891

### 3. HAZARDS IDENTIFICATION

Route of Entry:	Skin, ingestion and inhalation
Target Organs:	None unknown
Inhalation:	Can cause minor respiratory irritation
Skin Contact:	Can cause minor skin irritation.
Eye Contact:	Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue
Ingestion:	No data available

### 4. FIRST AID MEASURES

**Inhalation:** Inhalation is unlikely route of exposure for this product. If irritation or other symptoms occur, remove to fresh air. Get medical attention if irritation persists.

# MSDS/ Material Safety Data Sheet

## Millennium Colorworks Inc.

---

**MSDS/Number: NEW**

**Revision Date: 3/22/08**

**Skin Contact:** Wash affected areas with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**Eye Contact:** Flush with plenty of water for 15 minutes, especially under eyelids. Get medical attention if irritation persists.

**Ingestion:** Do not induce vomiting. Consult a physician or poison control Center immediately

### 5. FIRE FIGHTING MEASURES

**Flash Point:** None flammable material

**Flash Point Method:** Fire point calculated >212F (100C)

**Flammability limits:** Not applicable

**Extinguishing Media:** Foam, alcohol foam, CO2, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and a protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

**Hazardous Combustion Products:** Carbon dioxide, carbon monoxide

### 6. ACCIDENTAL RELEASE MEASURES

Contain Spill with material such as dry sand or sawdust. Scoop into appropriate waste Container for disposal

### 7. HANDLING AND STORAGE

**Handling:** Wash thoroughly after handling

**Storage:** Store in moderately cool well ventilated area away from direct heat. Avoid freezing (32F)

# MSDS/ Material Safety Data Sheet

## Millennium Colorworks Inc.

---

MSDS/Number: NEW

Revision Date: 3/22/08

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Control: Local exhaust recommended as well as safety glasses & gloves.  
Exposure Limits: Glycerin 10mg/m<sup>3</sup>(TWA)

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Colored liquid  
Odor: Slight ammonia

### 10. STABILITY AND REACTIVITY

None

### 11. TOXIOLOGICAL INFORMATION

Carcinogenicity: None per OSHA, IARC or NTP  
Mutagenicity: None indicated  
Reproductive Effects: None indicated

### 12. ECOLOGICAL INFORMATION

Environmental Degradation: Slightly toxic to fish

### 13. DISPOSAL CONSIDERATION

Disposal: Incineration or landfilling recommended or as State, Local regulations apply

# MSDS/ Material Safety Data Sheet

## Millennium Colorworks Inc.

---

MSDS/Number: NEW

Revision Date: 3/22/08

---

### 14. TRANSPORTATION INFORMATION

DOT Shipping Name:	Not required
DOT Hazard Class:	None
DOT Label:	None
DOT Placard:	None

### 15. REGULATORY INFORMATION

OSHA: Maybe mildly irritating to the eyes



# MSDS/ Material Safety Data Sheet

## Millennium Colorworks Inc.

MSDS/Number: #PY

Revision Date: 3/22/08

### 1. PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**

Millennium Colorworks Inc.  
68 Cabot Street, Babylon NY 11704  
Contact: Lou Rubino Jr.  
1-800-295-899  
Fax: 631-752-3822  
www.technicaltattoosupply.com

**Product Name:** Piss Yellow

### 2. COMPOSITION/INFORMATION AND INGREDIENTS

Proprietary resin: VO118534A  
Water: C.A.S. # 7732-18-5  
Glycerin: C.A.S. #56-81-5  
Pigment white 6: CI# 77891  
Yellow pigment 14: CI# 21095

### 3. HAZARDS IDENTIFICATION

Route of Entry: Skin, ingestion and inhalation  
Target Organs: None unknown  
Inhalation: Can cause minor respiratory irritation  
Skin Contact: Can cause minor skin irritation.  
Eye Contact: Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue  
Ingestion: No data available

### 4. FIRST AID MEASURES

Inhalation: Inhalation is unlikely route of exposure for this product. If irritation or other symptoms occur, remove to fresh air. Get medical attention if irritation persists.  
Skin Contact: Wash affected areas with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

# MSDS/ Material Safety Data Sheet

## Millennium Colorworks Inc.

---

MSDS/Number: NEW

Revision Date: 3/22/08

---

Eye Contact: Flush with plenty of water for 15 minutes, especially under eyelids.  
Get medical attention if irritation persists.

Ingestion: Do not induce vomiting. Consult a physician or poison control  
Center immediately

### 5. FIRE FIGHTING MEASURES

Flash Point: None flammable material

Flash Point Method: Fire point calculated >212F (100C)

Flammability limits: Not applicable

Extinguishing Media: Foam, alcohol foam, CO<sub>2</sub>, dry chemical

Special Fire Fighting Procedures: Do not enter fire area without proper protection  
including self contained breathing apparatus and  
full protective equipment. Fight fire from a safe  
distance and a protected location due to the  
potential of hazardous vapors and decomposition  
products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6. ACCIDENTAL RELEASE MEASURES

Contain Spill with material such as dry sand or sawdust. Scoop into appropriate waste  
Container for disposal

### 7. HANDLING AND STORAGE

Handling: Wash thoroughly after handling

Storage: Store in moderately cool well ventilated area away from direct  
heat. Avoid freezing (32F)

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Control: Local exhaust recommended as well as safety glasses & gloves.

Exposure Limits: Glycerin 10mg/m<sup>3</sup>(TWA)

# MSDS/ Material Safety Data Sheet

## Millennium Colorworks Inc.

---

MSDS/Number: NEW

Revision Date: 3/22/08

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Colored liquid  
Odor: Slight ammonia

### 10. STABILITY AND REACTIVITY

None

### 11. TOXIOLOGICAL INFORMATION

Carcinogenicity: None per OSHA, IARC or NTP  
Mutagenicity: None indicated  
Reproductive Effects: None indicated

### 12. ECOLOGICAL INFORMATION

Environmental Degradation: Slightly toxic to fish

### 13. DISPOSAL CONSIDERATION

Disposal: Incineration or landfilling recommended or as State, Local regulations apply

### 14. TRANSPORTATION INFORMATION

DOT Shipping Name: Not required  
DOT Hazard Class: None  
DOT Label: None  
DOT Placard: None

# **MSDS/ Material Safety Data Sheet**

## **Millennium Colorworks Inc.**

---

---

**MSDS/Number: NEW**

**Revision Date: 3/22/08**

---

### **15. REGULATORY INFORMATION**

OSHA:                      Maybe mildly irritating to the eyes

# MSDS/ Material Safety Data Sheet

## Millennium Colorworks Inc.

---

MSDS/Number: #PW

Revision Date: 3/22/08

### 1. PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**

Millennium Colorworks Inc.  
68 Cabot Street, Babylon NY 11704  
Contact: Lou Rubino Jr.  
1-800-295-899  
Fax: 631-752-3822  
www.technicaltattoosupply.com

**Product Name: Power White**

### 2. COMPOSITION/INFORMATION AND INGREDIENTS

Proprietary Resin:	VO118534A
Water:	C.A.S. # 7732-18-5
Glycerin:	C.A.S. #56-81-5
Pigment White 6:	CI# 77891

### 3. HAZARDS IDENTIFICATION

Route of Entry:	Skin, ingestion and inhalation
Target Organs:	None unknown
Inhalation:	Can cause minor respiratory irritation
Skin Contact:	Can cause minor skin irritation.
Eye Contact:	Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue
Ingestion:	No data available

### 4. FIRST AID MEASURES

Inhalation:	Inhalation is unlikely route of exposure for this product. If irritation or other symptoms occur, remove to fresh air. Get medical attention if irritation persists.
Skin Contact:	Wash affected areas with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

# MSDS/ Material Safety Data Sheet

## Millennium Colorworks Inc.

---

MSDS/Number: NEW

Revision Date: 3/22/08

---

Eye Contact: Flush with plenty of water for 15 minutes, especially under eyelids.  
Get medical attention if irritation persists.

Ingestion: Do not induce vomiting. Consult a physician or poison control  
Center immediately

### 5. FIRE FIGHTING MEASURES

Flash Point: None flammable material

Flash Point Method: Fire point calculated >212F (100C)

Flammability limits: Not applicable

Extinguishing Media: Foam, alcohol foam, CO<sub>2</sub>, dry chemical

Special Fire Fighting Procedures: Do not enter fire area without proper protection  
including self contained breathing apparatus and  
full protective equipment. Fight fire from a safe  
distance and a protected location due to the  
potential of hazardous vapors and decomposition  
products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6. ACCIDENTAL RELEASE MEASURES

Contain Spill with material such as dry sand or sawdust. Scoop into appropriate waste  
Container for disposal

### 7. HANDLING AND STORAGE

Handling: Wash thoroughly after handling

Storage: Store in moderately cool well ventilated area away from direct  
heat. Avoid freezing (32F)

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Control: Local exhaust recommended as well as safety glasses & gloves.

Exposure Limits: Glycerin 10mg/m<sup>3</sup>(TWA)

# MSDS/ Material Safety Data Sheet

## Millennium Colorworks Inc.

---

MSDS/Number: NEW

Revision Date: 3/22/08

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Colored liquid  
Odor: Slight ammonia

### 10. STABILITY AND REACTIVITY

None

### 11. TOXIOLOGICAL INFORMATION

Carcinogenicity: None per OSHA, IARC or NTP  
Mutagenicity: None indicated  
Reproductive Effects: None indicated

### 12. ECOLOGICAL INFORMATION

Environmental Degradation: Slightly toxic to fish

### 13. DISPOSAL CONSIDERATION

Disposal: Incineration or landfilling recommended or as State, Local regulations apply

### 14. TRANSPORTATION INFORMATION

DOT Shipping Name: Not required  
DOT Hazard Class: None  
DOT Label: None  
DOT Placard: None

# **MSDS/ Material Safety Data Sheet**

## **Millennium Colorworks Inc.**

---

---

**MSDS/Number: NEW**

**Revision Date: 3/22/08**

---

### **15. REGULATORY INFORMATION**

OSHA:                    Maybe mildly irritating to the eyes



# MSDS/ Material Safety Data Sheet

## Millennium Colorworks Inc.

---

MSDS/Number: #PPB

Revision Date: 3/22/08

---

### 1. PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**

Millennium Colorworks Inc.  
68 Cabot Street, Babylon NY 11704  
Contact: Lou Rubino Jr.  
1-800-295-899  
Fax: 631-752-3822  
www.technicaltattoosupply.com

**Product Name:** Pretty Boy Blue

### 2. COMPOSITION/INFORMATION AND INGREDIENTS

Proprietary Resin:	VO118534A
Water:	C.A.S. # 7732-18-5
Glycerin:	C.A.S. #56-81-5
Pigment Blue 15:	CI# 74160
Pigment White 6:	CI# 77891

### 3. HAZARDS IDENTIFICATION

Route of Entry:	Skin, ingestion and inhalation
Target Organs:	None unknown
Inhalation:	Can cause minor respiratory irritation
Skin Contact:	Can cause minor skin irritation.
Eye Contact:	Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue
Ingestion:	No data available

### 4. FIRST AID MEASURES

Inhalation:	Inhalation is unlikely route of exposure for this product. If irritation or other symptoms occur, remove to fresh air. Get medical attention if irritation persists.
Skin Contact:	Wash affected areas with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

# MSDS/ Material Safety Data Sheet

## Millennium Colorworks Inc.

---

MSDS/Number: NEW

Revision Date: 3/22/08

---

Eye Contact: Flush with plenty of water for 15 minutes, especially under eyelids.  
Get medical attention if irritation persists.

Ingestion: Do not induce vomiting. Consult a physician or poison control  
Center immediately

### 5. FIRE FIGHTING MEASURES

Flash Point: None flammable material

Flash Point Method: Fire point calculated >212F (100C)

Flammability limits: Not applicable

Extinguishing Media: Foam, alcohol foam, CO2, dry chemical

Special Fire Fighting Procedures: Do not enter fire area without proper protection  
including self contained breathing apparatus and  
full protective equipment. Fight fire from a safe  
distance and a protected location due to the  
potential of hazardous vapors and decomposition  
products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6. ACCIDENTAL RELEASE MEASURES

Contain Spill with material such as dry sand or sawdust. Scoop into appropriate waste  
Container for disposal

### 7. HANDLING AND STORAGE

Handling: Wash thoroughly after handling

Storage: Store in moderately cool well ventilated area away from direct  
heat. Avoid freezing (32F)

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Control: Local exhaust recommended as well as safety glasses & gloves.

Exposure Limits: Glycerin 10mg/m3(TWA)

# MSDS/ Material Safety Data Sheet

## Millennium Colorworks Inc.

---

MSDS/Number: NEW

Revision Date: 3/22/08

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Colored liquid  
Odor: Slight ammonia

### 10. STABILITY AND REACTIVITY

None

### 11. TOXIOLOGICAL INFORMATION

Carcinogenicity: None per OSHA, IARC or NTP  
Mutagenicity: None indicated  
Reproductive Effects: None indicated

### 12. ECOLOGICAL INFORMATION

Environmental Degradation: Slightly toxic to fish

### 13. DISPOSAL CONSIDERATION

Disposal: Incineration or landfilling recommended or as State, Local regulations apply

### 14. TRANSPORTATION INFORMATION

DOT Shipping Name: Not required  
DOT Hazard Class: None  
DOT Label: None  
DOT Placard: None

# **MSDS/ Material Safety Data Sheet**

## **Millennium Colorworks Inc.**

---

---

**MSDS/Number: NEW**

**Revision Date: 3/22/08**

---

### **15. REGULATORY INFORMATION**

OSHA:                    Maybe mildly irritating to the eyes

# MSDS/ Material Safety Data Sheet

## Millennium Colorworks Ink

---

MSDS/Number: #PN

Revision Date: 3/22/08

### 1. PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**

Millennium Colorworks Inc.  
68 Cabot Street, Babylon NY 11704  
Contact: Lou Rubino Jr.  
1-800-295-899  
Fax: 631-752-3822  
www.technicaltattoosupply.com

**Product Name:** Purple Nurple

### 2. COMPOSITION/INFORMATION AND INGREDIENTS

Proprietary Resin:	VO118534A
Water:	C.A.S. # 7732-18-5
Glycerin:	C.A.S. #56-81-5
Pigment Violet 23:	CI# 51319
Pigment White 6:	CI# 77891

### 3. HAZARDS IDENTIFICATION

Route of Entry:	Skin, ingestion and inhalation
Target Organs:	None unknown
Inhalation:	Can cause minor respiratory irritation
Skin Contact:	Can cause minor skin irritation.
Eye Contact:	Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue
Ingestion:	No data available

### 4. FIRST AID MEASURES

Inhalation:	Inhalation is unlikely route of exposure for this product. If irritation or other symptoms occur, remove to fresh air. Get medical attention if irritation persists.
Skin Contact:	Wash affected areas with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

# MSDS/ Material Safety Data Sheet

## Millennium Colorworks Inc.

---

MSDS/Number: NEW

Revision Date: 3/22/08

Eye Contact: Flush with plenty of water for 15 minutes, especially under eyelids.  
Get medical attention if irritation persists.

Ingestion: Do not induce vomiting. Consult a physician or poison control  
Center immediately

### 5. FIRE FIGHTING MEASURES

Flash Point: None flammable material

Flash Point Method: Fire point calculated >212F (100C)

Flammability limits: Not applicable

Extinguishing Media: Foam, alcohol foam, CO<sub>2</sub>, dry chemical

Special Fire Fighting Procedures: Do not enter fire area without proper protection  
including self contained breathing apparatus and  
full protective equipment. Fight fire from a safe  
distance and a protected location due to the  
potential of hazardous vapors and decomposition  
products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6. ACCIDENTAL RELEASE MEASURES

Contain Spill with material such as dry sand or sawdust. Scoop into appropriate waste  
Container for disposal

### 7. HANDLING AND STORAGE

Handling: Wash thoroughly after handling

Storage: Store in moderately cool well ventilated area away from direct  
heat. Avoid freezing (32F)

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Control: Local exhaust recommended as well as safety glasses & gloves.

Exposure Limits: Glycerin 10mg/m<sup>3</sup>(TWA)

# MSDS/ Material Safety Data Sheet

## Millennium Colorworks Inc.

---

MSDS/Number: NEW

Revision Date: 3/22/08

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Colored liquid  
Odor: Slight ammonia

### 10. STABILITY AND REACTIVITY

None

### 11. TOXIOLOGICAL INFORMATION

Carcinogenicity: None per OSHA, IARC or NTP  
Mutagenicity: None indicated  
Reproductive Effects: None indicated

### 12. ECOLOGICAL INFORMATION

Environmental Degradation: Slightly toxic to fish

### 13. DISPOSAL CONSIDERATION

Disposal: Incineration or landfilling recommended or as State, Local regulations apply

### 14. TRANSPORTATION INFORMATION

DOT Shipping Name: Not required  
DOT Hazard Class: None  
DOT Label: None  
DOT Placard: None

# **MSDS/ Material Safety Data Sheet**

## **Millennium Colorworks Inc.**

---

**MSDS/Number: NEW**

**Revision Date: 3/22/08**

---

### **15. REGULATORY INFORMATION**

OSHA:                    Maybe mildly irritating to the eyes



# MSDS/ Material Safety Data Sheet

## Millennium Colorworks Inc.

---

MSDS/Number: #RR

Revision Date: 3/22/08

### 1. PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**

Millennium Colorworks Inc.  
68 Cabot Street, Babylon NY 11704  
Contact: Lou Rubino Jr.  
1-800-295-899  
Fax: 631-752-3822  
www.technicaltattoosupply.com

**Product Name:** Red Rum

### 2. COMPOSITION/INFORMATION AND INGREDIENTS

Proprietary Resin:	VO118534A
Water:	C.A.S. # 7732-18-5
Glycerin:	C.A.S. #56-81-5
Pigment Red 269:	CI# 12466
Pigment Red 170:	CI# 12475
Pigment White 6:	CI# 77891

### 3. HAZARDS IDENTIFICATION

Route of Entry:	Skin, ingestion and inhalation
Target Organs:	None unknown
Inhalation:	Can cause minor respiratory irritation
Skin Contact:	Can cause minor skin irritation.
Eye Contact:	Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue
Ingestion:	No data available

### 4. FIRST AID MEASURES

Inhalation:	Inhalation is unlikely route of exposure for this product. If irritation or other symptoms occur, remove to fresh air. Get medical attention if irritation persists.
Skin Contact:	Wash affected areas with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

# MSDS/ Material Safety Data Sheet

## Millennium Colorworks Inc.

---

MSDS/Number: NEW

Revision Date: 3/22/08

---

Eye Contact: Flush with plenty of water for 15 minutes, especially under eyelids. Get medical attention if irritation persists.

Ingestion: Do not induce vomiting. Consult a physician or poison control Center immediately

### 5. FIRE FIGHTING MEASURES

Flash Point: None flammable material

Flash Point Method: Fire point calculated >212F (100C)

Flammability limits: Not applicable

Extinguishing Media: Foam, alcohol foam, CO<sub>2</sub>, dry chemical

Special Fire Fighting Procedures: Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and a protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6. ACCIDENTAL RELEASE MEASURES

Contain Spill with material such as dry sand or sawdust. Scoop into appropriate waste Container for disposal

### 7. HANDLING AND STORAGE

Handling: Wash thoroughly after handling

Storage: Store in moderately cool well ventilated area away from direct heat. Avoid freezing (32F)

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Control: Local exhaust recommended as well as safety glasses & gloves.

Exposure Limits: Glycerin 10mg/m<sup>3</sup>(TWA)

# MSDS/ Material Safety Data Sheet

## Millennium Colorworks Inc.

---

MSDS/Number: NEW

Revision Date: 3/22/08

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Colored liquid  
Odor: Slight ammonia

### 10. STABILITY AND REACTIVITY

None

### 11. TOXIOLOGICAL INFORMATION

Carcinogenicity: None per OSHA, IARC or NTP  
Mutagenicity: None indicated  
Reproductive Effects: None indicated

### 12. ECOLOGICAL INFORMATION

Environmental Degradation: Slightly toxic to fish

### 13. DISPOSAL CONSIDERATION

Disposal: Incineration or landfilling recommended or as State, Local regulations apply

### 14. TRANSPORTATION INFORMATION

DOT Shipping Name: Not required  
DOT Hazard Class: None  
DOT Label: None  
DOT Placard: None

# **MSDS/ Material Safety Data Sheet**

## **Millennium Colorworks Inc.**

---

---

**MSDS/Number: NEW**

**Revision Date: 3/22/08**

---

### **15. REGULATORY INFORMATION**

OSHA:                    Maybe mildly irritating to the eyes

# MSDS/ Material Safety Data Sheet

## Millennium Colorworks Inc.

---

MSDS/Number: #SG

Revision Date: 3/22/08

### 1. PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**

Millennium Colorworks Inc.  
68 Cabot Street, Babylon NY 11704  
Contact: Lou Rubino Jr.  
1-800-295-899  
Fax: 631-752-3822  
www.technicaltattoosupply.com

**Product Name:** Snot Green

### 2. COMPOSITION/INFORMATION AND INGREDIENTS

Proprietary Resin:	VO118534A
Water:	C.A.S. # 7732-18-5
Glycerin:	C.A.S. #56-81-5
Pigment White 6:	CI# 77891
Yellow Pigment 14:	CI#21095
Pigment Green 7:	CI#74260

### 3. HAZARDS IDENTIFICATION

Route of Entry:	Skin, ingestion and inhalation
Target Organs:	None unknown
Inhalation:	Can cause minor respiratory irritation
Skin Contact:	Can cause minor skin irritation.
Eye Contact:	Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue
Ingestion:	No data available

### 4. FIRST AID MEASURES

Inhalation:	Inhalation is unlikely route of exposure for this product. If irritation or other symptoms occur, remove to fresh air. Get medical attention if irritation persists.
Skin Contact:	Wash affected areas with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

# MSDS/ Material Safety Data Sheet

## Millennium Colorworks Inc.

---

MSDS/Number: NEW

Revision Date: 3/22/08

---

Eye Contact: Flush with plenty of water for 15 minutes, especially under eyelids. Get medical attention if irritation persists.

Ingestion: Do not induce vomiting. Consult a physician or poison control Center immediately

### 5. FIRE FIGHTING MEASURES

Flash Point: None flammable material

Flash Point Method: Fire point calculated >212F (100C)

Flammability limits: Not applicable

Extinguishing Media: Foam, alcohol foam, CO<sub>2</sub>, dry chemical

Special Fire Fighting Procedures: Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and a protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6. ACCIDENTAL RELEASE MEASURES

Contain Spill with material such as dry sand or sawdust. Scoop into appropriate waste Container for disposal

### 7. HANDLING AND STORAGE

Handling: Wash thoroughly after handling

Storage: Store in moderately cool well ventilated area away from direct heat. Avoid freezing (32F)

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Control: Local exhaust recommended as well as safety glasses & gloves.

Exposure Limits: Glycerin 10mg/m<sup>3</sup>(TWA)

# MSDS/ Material Safety Data Sheet

## Millennium Colorworks Inc.

---

MSDS/Number: NEW

Revision Date: 3/22/08

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Colored liquid  
Odor: Slight ammonia

### 10. STABILITY AND REACTIVITY

None

### 11. TOXIOLOGICAL INFORMATION

Carcinogenicity: None per OSHA, IARC or NTP  
Mutagenicity: None indicated  
Reproductive Effects: None indicated

### 12. ECOLOGICAL INFORMATION

Environmental Degradation: Slightly toxic to fish

### 13. DISPOSAL CONSIDERATION

Disposal: Incineration or landfilling recommended or as State, Local regulations apply

### 14. TRANSPORTATION INFORMATION

DOT Shipping Name: Not required  
DOT Hazard Class: None  
DOT Label: None  
DOT Placard: None

# **MSDS/ Material Safety Data Sheet**

## **Millennium Colorworks Inc.**

---

---

**MSDS/Number: NEW**

**Revision Date: 3/22/08**

---

### **15. REGULATORY INFORMATION**

OSHA:                    Maybe mildly irritating to the eyes



# MSDS/ Material Safety Data Sheet

## Millennium Colorworks Inc.

---

MSDS/Number: #SDE

Revision Date: 3/22/08

---

### 1. PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**

Millennium Colorworks Inc.  
68 Cabot Street, Babylon NY 11704  
Contact: Lou Rubino Jr.  
1-800-295-899  
Fax: 631-752-3822  
www.technicaltattoosupply.com

**Product Name:** Suede

### 2. COMPOSITION/INFORMATION AND INGREDIENTS

Proprietary Resin:	VO118534A
Water:	C.A.S. # 7732-18-5
Glycerin:	C.A.S. #56-81-5
Pigment White 6:	CI# 77891
Yellow Pigment 14:	CI# 21095
Pigment Red 170:	CI#12475
Pigment Black 7:	CI#77226

### 3. HAZARDS IDENTIFICATION

Route of Entry:	Skin, ingestion and inhalation
Target Organs:	None unknown
Inhalation:	Can cause minor respiratory irritation
Skin Contact:	Can cause minor skin irritation.
Eye Contact:	Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue
Ingestion:	No data available

### 4. FIRST AID MEASURES

Inhalation:	Inhalation is unlikely route of exposure for this product. If irritation or other symptoms occur, remove to fresh air. Get medical attention if irritation persists.
-------------	--

# MSDS/ Material Safety Data Sheet

## Millennium Colorworks Inc.

---

**MSDS/Number: NEW**

**Revision Date: 3/22/08**

**Skin Contact:** Wash affected areas with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**Eye Contact:** Flush with plenty of water for 15 minutes, especially under eyelids. Get medical attention if irritation persists.

**Ingestion:** Do not induce vomiting. Consult a physician or poison control Center immediately

### 5. FIRE FIGHTING MEASURES

**Flash Point:** None flammable material

**Flash Point Method:** Fire point calculated >212F (100C)

**Flammability limits:** Not applicable

**Extinguishing Media:** Foam, alcohol foam, CO2, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and a protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

**Hazardous Combustion Products:** Carbon dioxide, carbon monoxide

### 6. ACCIDENTAL RELEASE MEASURES

Contain Spill with material such as dry sand or sawdust. Scoop into appropriate waste Container for disposal

### 7. HANDLING AND STORAGE

**Handling:** Wash thoroughly after handling

**Storage:** Store in moderately cool well ventilated area away from direct heat. Avoid freezing (32F)

# MSDS/ Material Safety Data Sheet

## Millennium Colorworks Inc.

---

MSDS/Number: NEW

Revision Date: 3/22/08

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Control: Local exhaust recommended as well as safety glasses & gloves.  
Exposure Limits: Glycerin 10mg/m<sup>3</sup>(TWA)

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Colored liquid  
Odor: Slight ammonia

### 10. STABILITY AND REACTIVITY

None

### 11. TOXIOLOGICAL INFORMATION

Carcinogenicity: None per OSHA, IARC or NTP  
Mutagenicity: None indicated  
Reproductive Effects: None indicated

### 12. ECOLOGICAL INFORMATION

Environmental Degradation: Slightly toxic to fish

### 13. DISPOSAL CONSIDERATION

Disposal: Incineration or landfilling recommended or as State, Local regulations apply

# MSDS/ Material Safety Data Sheet

## Millennium Colorworks Inc.

---

MSDS/Number: NEW

Revision Date: 3/22/08

---

### 14. TRANSPORTATION INFORMATION

DOT Shipping Name:	Not required
DOT Hazard Class:	None
DOT Label:	None
DOT Placard:	None

### 15. REGULATORY INFORMATION

OSHA: Maybe mildly irritating to the eyes

# MSDS/ Material Safety Data Sheet

## Millennium Colorworks Inc.

MSDS/Number: #TLST

Revision Date: 3/22/08

### 1. PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**

Millennium Colorworks Inc.  
68 Cabot Street, Babylon NY 11704  
Contact: Lou Rubino Jr.  
1-800-295-899  
Fax: 631-752-3822  
www.technicaltattoosupply.com

**Product Name:** Tattoo Lou Skin

### 2. COMPOSITION/INFORMATION AND INGREDIENTS

Proprietary Resin:	VO118534A
Water:	C.A.S. # 7732-18-5
Glycerin:	C.A.S. #56-81-5
Pigment White 6:	CI# 77891
Pigment Yellow 14:	CI# 21095
Pigment Red 170:	CI#12475
Pigment Orange 16:	CI# 21160
Pigment Black 7:	CI#77226

### 3. HAZARDS IDENTIFICATION

Route of Entry:	Skin, ingestion and inhalation
Target Organs:	None unknown
Inhalation:	Can cause minor respiratory irritation
Skin Contact:	Can cause minor skin irritation.
Eye Contact:	Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue
Ingestion:	No data available

### 4. FIRST AID MEASURES

Inhalation:	Inhalation is unlikely route of exposure for this product. If irritation or other symptoms occur, remove to fresh air. Get medical attention if irritation persists.
-------------	--

# MSDS/ Material Safety Data Sheet

## Millennium Colorworks Inc.

---

**MSDS/Number: NEW**

**Revision Date: 3/22/08**

---

**Skin Contact:** Wash affected areas with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**Eye Contact:** Flush with plenty of water for 15 minutes, especially under eyelids. Get medical attention if irritation persists.

**Ingestion:** Do not induce vomiting. Consult a physician or poison control Center immediately

### **5. FIRE FIGHTING MEASURES**

**Flash Point:** None flammable material

**Flash Point Method:** Fire point calculated >212F (100C)

**Flammability limits:** Not applicable

**Extinguishing Media:** Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and a protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

**Hazardous Combustion Products:** Carbon dioxide, carbon monoxide

### **6. ACCIDENTAL RELEASE MEASURES**

Contain Spill with material such as dry sand or sawdust. Scoop into appropriate waste Container for disposal

### **7. HANDLING AND STORAGE**

**Handling:** Wash thoroughly after handling

**Storage:** Store in moderately cool well ventilated area away from direct heat. Avoid freezing (32F)

# MSDS/ Material Safety Data Sheet

## Millennium Colorworks Inc.

---

MSDS/Number: NEW

Revision Date: 3/22/08

---

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Control: Local exhaust recommended as well as safety glasses & gloves.  
Exposure Limits: Glycerin 10mg/m<sup>3</sup>(TWA)

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Colored liquid  
Odor: Slight ammonia

### 10. STABILITY AND REACTIVITY

None

### 11. TOXIOLOGICAL INFORMATION

Carcinogenicity: None per OSHA, IARC or NTP  
Mutagenicity: None indicated  
Reproductive Effects: None indicated

### 12. ECOLOGICAL INFORMATION

Environmental Degradation: Slightly toxic to fish

### 13. DISPOSAL CONSIDERATION

Disposal: Incineration or landfilling recommended or as State, Local regulations apply

# **MSDS/ Material Safety Data Sheet**

## **Millennium Colorworks Inc.**

---

**MSDS/Number: NEW**

**Revision Date: 3/22/08**

---

### **14. TRANSPORTATION INFORMATION**

DOT Shipping Name: Not required  
DOT Hazard Class: None  
DOT Label: None  
DOT Placard: None

### **15. REGULATORY INFORMATION**

OSHA: Maybe mildly irritating to the eyes



# MSDS/ Material Safety Data Sheet

## Millennium Colorworks Inc.

---

MSDS/Number: #TRT

Revision Date: 3/22/08

---

### 1. PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**

Millennium Colorworks Inc.  
68 Cabot Street, Babylon NY 11704  
Contact: Lou Rubino Jr.  
1-800-295-899  
Fax: 631-752-3822  
www.technicaltattoosupply.com

**Product Name:** Tropical Teal

### 2. COMPOSITION/INFORMATION AND INGREDIENTS

Proprietary Resin:	VO118534A
Water:	C.A.S. # 7732-18-5
Glycerin:	C.A.S. #56-81-5
Pigment White 6:	CI# 77891
Green 7:	CI# 74260
Pigment Blue 15:	CI# 74160

### 3. HAZARDS IDENTIFICATION

Route of Entry:	Skin, ingestion and inhalation
Target Organs:	None unknown
Inhalation:	Can cause minor respiratory irritation
Skin Contact:	Can cause minor skin irritation.
Eye Contact:	Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue
Ingestion:	No data available

### 4. FIRST AID MEASURES

Inhalation:	Inhalation is unlikely route of exposure for this product. If irritation or other symptoms occur, remove to fresh air. Get medical attention if irritation persists.
-------------	--

# MSDS/ Material Safety Data Sheet

## Millennium Colorworks Inc.

---

**MSDS/Number: NEW**

**Revision Date: 3/22/08**

---

**Skin Contact:** Wash affected areas with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

**Eye Contact:** Flush with plenty of water for 15 minutes, especially under eyelids. Get medical attention if irritation persists.

**Ingestion:** Do not induce vomiting. Consult a physician or poison control Center immediately

### **5. FIRE FIGHTING MEASURES**

**Flash Point:** None flammable material

**Flash Point Method:** Fire point calculated >212F (100C)

**Flammability limits:** Not applicable

**Extinguishing Media:** Foam, alcohol foam, CO<sub>2</sub>, dry chemical

**Special Fire Fighting Procedures:** Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and a protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

**Hazardous Combustion Products:** Carbon dioxide, carbon monoxide

### **6. ACCIDENTAL RELEASE MEASURES**

Contain Spill with material such as dry sand or sawdust. Scoop into appropriate waste Container for disposal

### **7. HANDLING AND STORAGE**

**Handling:** Wash thoroughly after handling

**Storage:** Store in moderately cool well ventilated area away from direct heat. Avoid freezing (32F)

# MSDS/ Material Safety Data Sheet

## Millennium Colorworks Inc.

---

MSDS/Number: NEW

Revision Date: 3/22/08

---

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Control: Local exhaust recommended as well as safety glasses & gloves.  
Exposure Limits: Glycerin 10mg/m<sup>3</sup>(TWA)

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Colored liquid  
Odor: Slight ammonia

### 10. STABILITY AND REACTIVITY

None

### 11. TOXIOLOGICAL INFORMATION

Carcinogenicity: None per OSHA, IARC or NTP  
Mutagenicity: None indicated  
Reproductive Effects: None indicated

### 12. ECOLOGICAL INFORMATION

Environmental Degradation: Slightly toxic to fish

### 13. DISPOSAL CONSIDERATION

Disposal: Incineration or landfilling recommended or as State, Local regulations apply

# MSDS/ Material Safety Data Sheet

## Millennium Colorworks Inc.

---

MSDS/Number: NEW

Revision Date: 3/22/08

---

### 14. TRANSPORTATION INFORMATION

DOT Shipping Name: Not required  
DOT Hazard Class: None  
DOT Label: None  
DOT Placard: None

### 15. REGULATORY INFORMATION

OSHA: Maybe mildly irritating to the eyes

# MSDS/ Material Safety Data Sheet

## Millennium Colorworks Inc.

---

MSDS/Number: #VV

Revision Date: 3/22/08

### 1. PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**

Millennium Colorworks Inc.  
68 Cabot Street, Babylon NY 11704  
Contact: Lou Rubino Jr.  
1-800-295-899  
Fax: 631-752-3822  
www.technicaltattoosupply.com

**Product Name: Violent Violet**

### 2. COMPOSITION/INFORMATION AND INGREDIENTS

Proprietary Resin:	VO118534A
Water:	C.A.S. # 7732-18-5
Glycerin:	C.A.S. #56-81-5
Pigment White 6:	CI# 77891
Pigment Violet 23:	CI# 51319

### 3. HAZARDS IDENTIFICATION

Route of Entry:	Skin, ingestion and inhalation
Target Organs:	None unknown
Inhalation:	Can cause minor respiratory irritation
Skin Contact:	Can cause minor skin irritation.
Eye Contact:	Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue
Ingestion:	No data available

### 4. FIRST AID MEASURES

Inhalation:	Inhalation is unlikely route of exposure for this product. If irritation or other symptoms occur, remove to fresh air. Get medical attention if irritation persists.
Skin Contact:	Wash affected areas with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

# MSDS/ Material Safety Data Sheet

## Millennium Colorworks Inc.

---

MSDS/Number: NEW

Revision Date: 3/22/08

---

Eye Contact: Flush with plenty of water for 15 minutes, especially under eyelids.  
Get medical attention if irritation persists.

Ingestion: Do not induce vomiting. Consult a physician or poison control  
Center immediately

### 5. FIRE FIGHTING MEASURES

Flash Point: None flammable material

Flash Point Method: Fire point calculated >212F (100C)

Flammability limits: Not applicable

Extinguishing Media: Foam, alcohol foam, CO<sub>2</sub>, dry chemical

Special Fire Fighting Procedures: Do not enter fire area without proper protection  
including self contained breathing apparatus and  
full protective equipment. Fight fire from a safe  
distance and a protected location due to the  
potential of hazardous vapors and decomposition  
products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6. ACCIDENTAL RELEASE MEASURES

Contain Spill with material such as dry sand or sawdust. Scoop into appropriate waste  
Container for disposal

### 7. HANDLING AND STORAGE

Handling: Wash thoroughly after handling

Storage: Store in moderately cool well ventilated area away from direct  
heat. Avoid freezing (32F)

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Control: Local exhaust recommended as well as safety glasses & gloves.

Exposure Limits: Glycerin 10mg/m<sup>3</sup>(TWA)

# MSDS/ Material Safety Data Sheet

## Millennium Colorworks Inc.

---

MSDS/Number: NEW

Revision Date: 3/22/08

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Colored liquid  
Odor: Slight ammonia

### 10. STABILITY AND REACTIVITY

None

### 11. TOXIOLOGICAL INFORMATION

Carcinogenicity: None per OSHA, IARC or NTP  
Mutagenicity: None indicated  
Reproductive Effects: None indicated

### 12. ECOLOGICAL INFORMATION

Environmental Degradation: Slightly toxic to fish

### 13. DISPOSAL CONSIDERATION

Disposal: Incineration or landfilling recommended or as State, Local regulations apply

### 14. TRANSPORTATION INFORMATION

DOT Shipping Name: Not required  
DOT Hazard Class: None  
DOT Label: None  
DOT Placard: None

# **MSDS/ Material Safety Data Sheet**

## **Millennium Colorworks Inc.**

---

**MSDS/Number: NEW**

**Revision Date: 3/22/08**

---

### **15. REGULATORY INFORMATION**

OSHA:                    Maybe mildly irritating to the eyes



# MSDS/ Material Safety Data Sheet

## Millennium Colorworks Inc.

---

MSDS/Number: #VR

Revision Date: 3/22/08

---

### 1. PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**

Millennium Colorworks Inc.  
68 Cabot Street, Babylon NY 11704  
Contact: Lou Rubino Jr.  
1-800-295-899  
Fax: 631-752-3822  
www.technicaltattoosupply.com

**Product Name:** Viper Red

### 2. COMPOSITION/INFORMATION AND INGREDIENTS

Proprietary Resin:	VO118534A
Water:	C.A.S. # 7732-18-5
Glycerin:	C.A.S. #56-81-5
Pigment Red 170:	CI# 12475
Pigment White 6:	CI# 77891
Pigment Yellow 14:	CI# 21095

### 3. HAZARDS IDENTIFICATION

Route of Entry:	Skin, ingestion and inhalation
Target Organs:	None unknown
Inhalation:	Can cause minor respiratory irritation
Skin Contact:	Can cause minor skin irritation.
Eye Contact:	Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue
Ingestion:	No data available

### 4. FIRST AID MEASURES

Inhalation:	Inhalation is unlikely route of exposure for this product. If irritation or other symptoms occur, remove to fresh air. Get medical attention if irritation persists.
Skin Contact:	Wash affected areas with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

# MSDS/ Material Safety Data Sheet

## Millennium Colorworks Inc.

---

MSDS/Number: NEW

Revision Date: 3/22/08

---

Eye Contact: Flush with plenty of water for 15 minutes, especially under eyelids.  
Get medical attention if irritation persists.

Ingestion: Do not induce vomiting. Consult a physician or poison control  
Center immediately

### 5. FIRE FIGHTING MEASURES

Flash Point: None flammable material

Flash Point Method: Fire point calculated >212F (100C)

Flammability limits: Not applicable

Extinguishing Media: Foam, alcohol foam, CO<sub>2</sub>, dry chemical

Special Fire Fighting Procedures: Do not enter fire area without proper protection  
including self contained breathing apparatus and  
full protective equipment. Fight fire from a safe  
distance and a protected location due to the  
potential of hazardous vapors and decomposition  
products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6. ACCIDENTAL RELEASE MEASURES

Contain Spill with material such as dry sand or sawdust. Scoop into appropriate waste  
Container for disposal

### 7. HANDLING AND STORAGE

Handling: Wash thoroughly after handling

Storage: Store in moderately cool well ventilated area away from direct  
heat. Avoid freezing (32F)

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Control: Local exhaust recommended as well as safety glasses & gloves.

Exposure Limits: Glycerin 10mg/m<sup>3</sup>(TWA)

# MSDS/ Material Safety Data Sheet

## Millennium Colorworks Inc.

---

MSDS/Number: NEW

Revision Date: 3/22/08

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Colored liquid  
Odor: Slight ammonia

### 10. STABILITY AND REACTIVITY

None

### 11. TOXIOLOGICAL INFORMATION

Carcinogenicity: None per OSHA, IARC or NTP  
Mutagenicity: None indicated  
Reproductive Effects: None indicated

### 12. ECOLOGICAL INFORMATION

Environmental Degradation: Slightly toxic to fish

### 13. DISPOSAL CONSIDERATION

Disposal: Incineration or landfilling recommended or as State, Local regulations apply

### 14. TRANSPORTATION INFORMATION

DOT Shipping Name: Not required  
DOT Hazard Class: None  
DOT Label: None  
DOT Placard: None

# **MSDS/ Material Safety Data Sheet**

## **Millennium Colorworks Inc.**

---

---

**MSDS/Number: NEW**

**Revision Date: 3/22/08**

---

### **15. REGULATORY INFORMATION**

OSHA:                    Maybe mildly irritating to the eyes

# MSDS/ Material Safety Data Sheet

## Millennium Colorworks Inc.

---

MSDS/Number: #VR

Revision Date: 3/22/08

### 1. PRODUCT AND COMPANY IDENTIFICATION

**Manufacturer:**

Millennium Colorworks Inc.  
68 Cabot Street, Babylon NY 11704  
Contact: Lou Rubino Jr.  
1-800-295-899  
Fax: 631-752-3822  
www.technicaltattoosupply.com

**Product Name:** Viper Red

### 2. COMPOSITION/INFORMATION AND INGREDIENTS

Proprietary Resin:	VO118534A
Water:	C.A.S. # 7732-18-5
Glycerin:	C.A.S. #56-81-5
Pigment Red 170:	CI# 12475
Pigment White 6:	CI# 77891
Pigment Yellow 14:	CI# 21095

### 3. HAZARDS IDENTIFICATION

Route of Entry:	Skin, ingestion and inhalation
Target Organs:	None unknown
Inhalation:	Can cause minor respiratory irritation
Skin Contact:	Can cause minor skin irritation.
Eye Contact:	Can cause moderate irritation, tearing and reddening, but not likely to permanently injure eye tissue
Ingestion:	No data available

### 4. FIRST AID MEASURES

Inhalation:	Inhalation is unlikely route of exposure for this product. If irritation or other symptoms occur, remove to fresh air. Get medical attention if irritation persists.
Skin Contact:	Wash affected areas with soap and water. Remove contaminated clothing. Get medical attention if irritation persists

# MSDS/ Material Safety Data Sheet

## Millennium Colorworks Inc.

---

MSDS/Number: NEW

Revision Date: 3/22/08

---

Eye Contact: Flush with plenty of water for 15 minutes, especially under eyelids. Get medical attention if irritation persists.

Ingestion: Do not induce vomiting. Consult a physician or poison control Center immediately

### 5. FIRE FIGHTING MEASURES

Flash Point: None flammable material

Flash Point Method: Fire point calculated >212F (100C)

Flammability limits: Not applicable

Extinguishing Media: Foam, alcohol foam, CO2, dry chemical

Special Fire Fighting Procedures: Do not enter fire area without proper protection including self contained breathing apparatus and full protective equipment. Fight fire from a safe distance and a protected location due to the potential of hazardous vapors and decomposition products. Use methods for surrounding fire.

Hazardous Combustion Products: Carbon dioxide, carbon monoxide

### 6. ACCIDENTAL RELEASE MEASURES

Contain Spill with material such as dry sand or sawdust. Scoop into appropriate waste Container for disposal

### 7. HANDLING AND STORAGE

Handling: Wash thoroughly after handling

Storage: Store in moderately cool well ventilated area away from direct heat. Avoid freezing (32F)

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Control: Local exhaust recommended as well as safety glasses & gloves.

Exposure Limits: Glycerin 10mg/m3(TWA)

# MSDS/ Material Safety Data Sheet

## Millennium Colorworks Inc.

---

MSDS/Number: NEW

Revision Date: 3/22/08

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Colored liquid  
Odor: Slight ammonia

### 10. STABILITY AND REACTIVITY

None

### 11. TOXIOLOGICAL INFORMATION

Carcinogenicity: None per OSHA, IARC or NTP  
Mutagenicity: None indicated  
Reproductive Effects: None indicated

### 12. ECOLOGICAL INFORMATION

Environmental Degradation: Slightly toxic to fish

### 13. DISPOSAL CONSIDERATION

Disposal: Incineration or landfilling recommended or as State, Local regulations apply

### 14. TRANSPORTATION INFORMATION

DOT Shipping Name: Not required  
DOT Hazard Class: None  
DOT Label: None  
DOT Placard: None

# **MSDS/ Material Safety Data Sheet**

## **Millennium Colorworks Inc.**

---

**MSDS/Number: NEW**

**Revision Date: 3/22/08**

---

### **15. REGULATORY INFORMATION**

OSHA:                    Maybe mildly irritating to the eyes